



# FKSZ2.E334687 - DRIVERS FOR LIGHT-EMITTING-DIODE ARRAYS, MODULES AND CONTROLLERS - COMPONENT

## Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

See General Information for Drivers for Light-emitting-diode Arrays, Modules and Controllers - Component

### MEAN WELL ENTERPRISES CO LTD

NO 28 WUQUAN 3RD RD  
WUGU DISTRICT  
NEW TAIPEI CITY, 24891 TAIWAN

E334687

**Isolated Class 2 LED Power Supplies**, Model(s) LPF-xy-zw series, where x may be 16 or 25; y may be Blank or D; z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54 and w may be P or blank.

**Isolated Class 2 LED Power Supplies**, Model(s) PCD-16-350z, where z may be A or B., PCD-25-500AZT

**Isolated Class 2 LED Power Supplies**, Model(s) PCD-25-yz, where y can be 1050, 1400 and z may be A or B.

**Isolated Class 2 LED Power Supplies**, Model(s) PCD-25-yz, where y can be 350, 700 and z may be A or B.

**Isolated Class 2 LED Power Supplies**, Model(s) PLD-16-350z, where z may be A or B.

**Isolated Class 2 LED Power Supplies**, Model(s) PLD-16-yz, where y can be 700, 1050, 1400 and z may be A or B.

**Isolated Class 2 LED Power Supplies**, Model(s) PLD-25-y, where y can be 1050 or 1400., PLD-25-y, where y can be 350 or 700.

**Isolated Class 2 LED Power Supplies**, Model(s) PLP-X-Y, where X can be 30, 45 or 60 and Y can be 12, 24 or 48.

**Isolated Class 2 output, LED Drivers**, Model(s) PLM-25-1050, PLM-25-700

**LED Driver, Isolated Class 2 output**, Model(s) LVF-40-36LP

**LED Drivers other than Class 2, "HLG-120H-CXY Series"**, Model(s) HLG-120H-CXY, where X may be 350, 500, 700, 1050 or 1400 and Y can be A, B, AB or D

**LED Drivers other than Class 2, "HLG-185H-CXY Series"**, Model(s) HLG-185H-CXY, where X may be 500, 700, 1050 or 1400 and Y can be A, B, AB or D.

**LED Drivers other than Class 2**, Model(s) LPV-150-Y Series, where Y can be 12, 15, 24, 36 or 48 for output voltage.

**LED Drivers Other Than Class 2 with isolated output**, Model(s) HBG-240-XY and HBG-240P-xy, Where X may be 24, 36, 48 or 60 and Y may be A, B, AB or blank.

**LED Drivers Other Than Class 2 with isolated output**, Model(s) HLG-240H-C1050ACRE

**LED drivers, Class 2 isolated output**, Model(s) PLM-12-X, where X may be 350, 500, 700 or 1050., PLM-25-Y, where Y may be 500, 700 or 1050.

**LED drivers, Class 2 isolated output with glue**, Model(s) CLG-100-12, CLG-100-15, CLG-100-20, CLG-100-24, CLG-100-24DLU, CLG-100-24LU, CLG-100-27, CLG-100-36, CLG-100-48

**LED drivers, Class 2 isolated output with potting compound**, Model(s) CLG-60-12, CLG-60-15, CLG-60-20, CLG-60-24, CLG-60-27, CLG-60-36, CLG-60-48, PLM-25-500

**LED drivers, Class 2 isolated output without glue**, Model(s) CLN-100-12, CLN-100-15, CLN-100-20, CLN-100-24, CLN-100-27, CLN-100-36, CLN-100-48, PLN-100-12, PLN-100-15, PLN-100-20, PLN-100-24, PLN-100-27, PLN-100-36, PLN-100-48

**LED drivers, Class 2 isolated output without potting compound**, Model(s) CLN-60-12, CLN-60-15, CLN-60-20, CLN-60-24, CLN-60-27, CLN-60-36, CLN-60-48, PLN-45-12, PLN-45-12TE, PLN-45-15, PLN-45-20, PLN-45-24, PLN-45-27, PLN-45-36, PLN-45-48, PLN-60-12, PLN-60-12TE, PLN-60-15, PLN-60-20, PLN-60-24, PLN-60-27, PLN-60-36, PLN-60-48

**LED Drivers, Isolated Class 2 LED Power Supplies**, Model(s) NPF-90D-54VA12, NPF-90D-54VA15, NPF-90D-54VA16

**LED Drivers, Isolated Class 2 LED Power Supplies**, Model(s) NPF-90X-Y, where X may be blank or D, Y may be 20, 24, 30, 36, 42, 48, 54, 54VA12, 54VA15 or 54VA16 ; PWM-90-Z, where Z may be 24, 36 or 48.

**LED Drivers, Isolated output**, Model(s) ELG-240-C1750y

**LED drivers, other than Class 2**, Model(s) HLG-120H-12Z(%), HLG-120H-15Z(%).

**LED drivers, other than Class 2**, Model(s) HLG-60H-CXY, where X may be 350 or 700 and Y can be A, B, AB or D.

**LED Drivers, Other than Class 2 with isolated output**, Model(s) NPF-90X-Y, where X may be blank or D, and Y may be 12 or 15.

**LED Drivers, Other than Class 2 with isolated output**, Model(s) PLM-40-X, where X may be 350, 500 or 700., PWM-90-12

**LED drivers, other than Class 2, Isolated output**, Model(s) HLG-150H-12Z(%), HLG-240H-24Z+., HLG-240H-30Z\*.

**LED drivers, other than Class 2, Isolated output**, Model(s) HLG-320H-YZ, where Y = 12, 15, 20, 24, 30, 36, 42, 48 or 54 and Z = A, B, C, D or blank

**LED Drivers, with isolated output (LVLE)**, Model(s) PLM-25-350, PLM-40-X, where X may be 1050, 1400 or 1750.

**LED drives other than Class 2**, Model(s) CLG-150-12, CLG-150-12A, CLG-150-12B, CLG-150-12C, CLG-150-15, CLG-150-15A, CLG-150-15B, CLG-150-15C, CLG-150-20, CLG-150-20A, CLG-150-20B, CLG-150-20C, CLG-150-24, CLG-150-24A, CLG-150-24B, CLG-150-24C, CLG-150-30, CLG-150-30A, CLG-150-30B, CLG-150-30C, CLG-150-36, CLG-150-36A, CLG-150-36B, CLG-150-36C, CLG-150-48, CLG-150-48A, CLG-150-48B, CLG-150-48C

**LED power supplies, Class 2 isolated, "CEN-60-Y Series"**, Model(s) CEN-60-12, CEN-60-15, CEN-60-20, CEN-60-24, CEN-60-30, CEN-60-36, CEN-60-42, CEN-60-48, CEN-60-54

**LED power supplies, Class 2 isolated, "CEN-75-Y Series"**, Model(s) CEN-75-15, CEN-75-20, CEN-75-24, CEN-75-30, CEN-75-36, CEN-75-42, CEN-75-48, CEN-75-54

**LED power supplies, Class 2 isolated**, Model(s) APC-12-700, APC-16-350, APC-16-350RA1, APC-16-700, APC-25-500, APC-35-700

**LED power supplies, Class 2 isolated**, Model(s) APV-y-z, where y may be 12 or 16 and z can be 5, 12, 15 or 24.

**LED power supplies, Class 2 isolated**, Model(s) CEN-100-20, CEN-100-24, CEN-100-30, CEN-100-36, CEN-100-42, CEN-100-48, CEN-100-54, LPF-60-30LU

**LED power supplies, Class 2 isolated**, Model(s) LPF-XY-ZQ, where X may be 40 or 60, Y may be blank or D; Q may be blank or LU ; and Z may be 48 and 54.

**LED power supplies, Class 2 isolated with enclosure**, Model(s) PLN-20-12, PLN-20-18, PLN-20-24, PLN-20-36, PLN-20-48

**LED power supplies, Class 2 isolated without enclosure**, Model(s) PLP-20-12, PLP-20-18, PLP-20-24, PLP-20-36, PLP-20-48

Model(s) APC-12-350, HBG-100-48YP (a), HBG-100-54Y (a), HBG-100-54YP (a), HLG-80H-C350A, HLG-80H-C350AB, HLG-80H-C350B, HLG-80H-C350D, HLG-80H-C700A, HLG-80H-C700AB, HLG-80H-C700B, HLG-80H-C700D, LPFH-60D-24

**Input**

**Output**

Model. No.	Supply Conn. Method	Volts (V)	Freq (Hz)	Power (W)	Amps (A)	Type	Volts (V)	Freq (Hz)	Power (W)	Amps (A)	Type <sup>[a]</sup>	Env. Loc.	Type HL	Type TL	Tref max (°C)	Meas. Tref (°C)	Wired Control Circuit	Phase cut Tc	Diming
<b>"ELG-100U-xy"</b>																			
<b>ELG-100U-24y</b>	Leads	100-240Vac	50/60	-	1.4	Isolated Circuit	24Vdc	-	-	4.0	Class 2	Wet	Yes	-	-	-	+	a	a
<b>ELG-100U-36y</b>	Leads	100-240Vac	50/60	-	1.4	Isolated Circuit	36Vdc	-	-	2.66	Class 2	Wet	Yes	-	-	-	+	a	a
<b>ELG-100U-42y</b>	Leads	100-240Vac	50/60	-	1.4	Isolated Circuit	42Vdc	-	-	2.28	Class 2	Wet	Yes	-	-	-	+	a	a
<b>ELG-100U-48y</b>	Leads	100-240Vac	50/60	-	1.4	Isolated Circuit	48Vdc	-	-	2.20	Class 2	Wet	Yes	-	-	-	+	a	a
<b>"HBG-60-XY Series"</b>																			
<b>HBG-60-1050, HBG-60-1050P where X can be 1050, 1400 or 2100 and where Y can be blank or P</b>																			
	Leads	100-240Vac	50/60	-	0.7	Non-isolated	37-55Vdc	-	-	1.05	Class 2	Damp	-	-	-	-	+	-	-
<b>HBG-60-1050, HBG-60-1050P.</b>																			
	Leads	277Vac	50/60	-	0.3	Non-isolated	37-55Vdc	-	-	1.05		Damp	-	-	-	-	+	-	-
<b>HBG-60-1400, HBG-60-1400P where X can be 1050, 1400 or 2100 and where Y can be blank or P.</b>																			
	Leads	100-240Vac	50/60	-	0.7	Non-isolated	28-43Vdc	-	-	1.4	Class 2	Damp	-	-	-	-	+	-	-
<b>HBG-60-1400, HBG-60-1400P.</b>																			
	Leads	277Vac	50/60	-	0.3	Non-isolated	28-43Vdc	-	-	1.4		Damp	-	-	-	-	+	-	-
<b>HBG-60-2100, HBG-60-2100P where X can be 1050, 1400 or 2100 and where Y can be blank or P.</b>																			
	Leads	100-240Vac	50/60	-	0.7	Non-isolated	19-29Vdc	-	-	2.1	Class 2	Damp	-	-	-	-	+	-	-
<b>HBG-60-2100, HBG-60-2100P.</b>																			
	Leads	277Vac	50/60	-	0.3	Non-isolated	19-29Vdc	-	-	2.1		Damp	-	-	-	-	+	-	-

"HLG-100-YZ Series"																			
<b>HLG-100-20Z*</b>	Jacketed cable	100-240Vac	50/60	288	-	Non-isolated	20Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
<b>HLG-100-24Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
<b>HLG-100-30Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
<b>HLG-100-36Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
<b>HLG-100-42Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
<b>HLG-100-48Z* Where Z can be blank, A or B</b>																			
	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
<b>HLG-100-54Z* Where Z can be blank, A or B.</b>																			
	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
"HLG-100H-YZ Series"																			
<b>HLG-100H-20Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.2	Non-isolated	20Vdc	-	-	4.8	Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.5		20Vdc	-	-	4.8									
<b>HLG-100H-24Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		24Vdc	-	-	-									
<b>HLG-100H-30Z(%)</b>	Jacketed cable	100-240Vac	-	-	1.2	Non-isolated	30Vdc	-	-	3.2	Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	-	-	0.5		30Vdc	-	-	3.2									

<b>HLG-100H-36Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.2	Non-isolated	36Vdc	-	-	2.65	Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.5		36Vdc	-	-	2.65									
<b>HLG-100H-42Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.2	Non-isolated	42Vdc	-	-	2.28	Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.5		42V	-	-	2.28									
<b>HLG-100H-48Z(%) Where Z can be blank, A or B.</b>																			
	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		48Vdc	-	-	-									
<b>HLG-100H-54Z (%)</b>	Other	277Vac	50/60	-	-	-	54Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-100H-54Z(%) HLG-100H-54</b>																			
	Jacketed cable	100-240Vac	50/60	-	-	Isolated Circuit	54Vdc	-	-	-	Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		54Vdc	-	-	-									
<b>"HLG-120-XZ Series"</b>																			
<b>HLG-120-12Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120-15Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120-20Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120-24Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120-30Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-

<b>HLG-120-36Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120-42Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120-48Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120-54Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>"HLG-120H-XZ Series"</b>																			
<b>HLG-120H-12Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120H-15Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-120H-20Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		20Vdc	-	-	-									
<b>HLG-120H-24Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		24Vdc	-	-	-									
<b>HLG-120H-30Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		30Vdc	-	-	-									
<b>HLG-120H-36Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		36Vdc	-	-	-									
<b>HLG-120H-42Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		42Vdc	-	-	-									

<b>HLG-120H-48Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		48Vdc	-	-	-									
<b>HLG-120H-54Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.4	Non-isolated	54Vdc	-	124	2.3		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		54V	-	-	2.3									
<b>"HLG-150-YZ Series"</b>																			
<b>HLG-150-12Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-150-15Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	15Vdc	-	-	10		Wet	Yes	-	-	-	+	-	-
<b>HLG-150-20Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	20Vdc	-	-	7.5		Wet	Yes	-	-	-	+	-	-
<b>HLG-150-24Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	24Vdc	-	150	6.3	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HLG-150-30Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-150-36Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-150-42Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	42Vdc	-	-	3.6		Wet	Yes	-	-	-	+	-	-
<b>HLG-150-48Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	48Vdc	-	-	3.2		Wet	Yes	-	-	-	+	-	-
<b>HLG-150-54Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		54Vdc	-	-	-									
<b>"HLG-150H-YZ Series"</b>																			

<b>HLG-150H-12Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-150H-15Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		15Vdc	-	-	-									
<b>HLG-150H-20Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-150H-24Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	24Vdc	-	150	6.3	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.7		24Vdc	-	150	6.3									
<b>HLG-150H-30Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-150H-36Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		36Vdc	-	-	-									
<b>HLG-150H-42Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		42Vdc	-	-	-									
<b>HLG-150H-48Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		48Vdc	-	-	-									
<b>HLG-150H-54Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	54Vdc	-	-	2.8		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.7		54Vdc	-	-	2.8									
<b>"HLG-185-YZ Series"</b>																			
<b>HLG-185-12Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-



<b>HLG-185-15Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-185-20Z*</b>	Jacketed cable	100-240Vac	50/60	-	2.1	Non-isolated	20Vdc	-	-	9.3		Wet	Yes	-	-	-	+	-	-
<b>HLG-185-24Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-185-30Z*</b>	Jacketed cable	100-240Vac	50/60	-	2.1	Non-isolated	30Vdc	-	-	6.2		Wet	Yes	-	-	-	+	-	-
<b>HLG-185-36Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-185-42Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-185-48Z*</b>	Jacketed cable	100-240Vac	50/60	-	2.1	Non-isolated	48Vdc	-	-	3.9		Wet	Yes	-	-	-	+	-	-
<b>HLG-185-54Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>"HLG-185H-YZ Series"</b>																			
<b>HLG-185H-12Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	2.1	Non-isolated	12Vdc	-	-	13		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.8		12Vdc	-	-	13									
<b>HLG-185H-15Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		15Vdc	-	-	-									
<b>HLG-185H-20Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		20Vdc	-	-	-									
<b>HLG-185H-24Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-

		277Vac	50/60	-	-		24Vdc	-	-	-									
<b>HLG-185H-30Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		30Vdc	-	-	-									
<b>HLG-185H-36Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		36Vdc	-	-	-									
<b>HLG-185H-42Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		42Vdc	-	-	-									
<b>HLG-185H-48Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		48Vdc	-	-	-									
<b>HLG-185H-54Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		54Vdc	-	-	-									
<b>"HLG-480H-xy"</b>																			
<b>HLG-480H-24y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	24Vdc	-	-	20	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-	-									
<b>HLG-480H-30y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	30Vdc	-	-	16	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-	-									
<b>HLG-480H-36y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	36Vdc	-	-	13.3	Isolated	Wet	Yes	-	-	-	+	-	-

		277Vac	50/60	-	2.0		-	-	-										
<b>HLG-480H-42y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	42Vdc	-	-	11.4	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>HLG-480H-48y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	48Vdc	-	-	10	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>HLG-480H-54y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	54Vdc	-	-	8.9	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>"HLGP-480H-30y"</b>																			
<b>HLGP-480H-30y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	30Vdc	-	-	16	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>"HLGP-480H-xy"</b>																			
<b>HLGP-480H-24y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	24Vdc	-	-	20	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>HLGP-480H-36y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	36Vdc	-	-	13.3	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>HLGP-480H-42y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			

	Leads	100-240Vac	50/60	-	5.5	Non-isolated	42Vdc	-	-	11.4	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>HLGP-480H-48y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	48Vdc	-	-	10	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>HLGP-480H-54y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	54Vdc	-	-	8.9	Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.0		-	-	-										
<b>"IDLC-25x-y"</b>																			
<b>IDLC-25(A)-1050 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	16.8-24 Max.36Vdc	-	-	1050mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		16.8-24 Max.36Vdc	-	-	1050mA									
<b>IDLC-25(A)-350 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	49-70 Max.100Vdc	-	-	350mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		49-70 Max.100Vdc	-	-	350mA									
<b>IDLC-25(A)-500 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	35-50 Max.75Vdc	-	-	500mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		35-50 Max.75Vdc	-	-	500mA									
<b>IDLC-25(A)-700 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			

	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	25.2-36 Max.63Vdc	-	-	700mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		25.2-36 Max.63Vdc	-	-	700mA									
<b>"IDLC-45"</b>																			
<b>IDLC-45X-1050 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050									
		-	-	-	-		-	-	-	-									
<b>IDLC-45x-1050z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050									
		-	-	-	-		-	-	-	-									
<b>IDLC-45X-1400 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									
<b>IDLC-45x-1400z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									

<b>IDLC-45x-350 x may be blank or A</b>																			
	-	100-240Vac	50/60	-	0.6	Non-isolated	118 MaxVdc	-	-	0.35	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.35									
<b>IDLC-45x-350z x may be blank or A, z may be blank or DA</b>																			
	-	100-240Vac	50/60	-	0.6	Non-isolated	118 MaxVdc	-	-	0.35	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.35									
<b>IDLC-45x-500 x may be blank or A</b>																			
	-	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.50	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.50									
<b>IDLC-45x-500z x may be blank or A, z may be blank or DA</b>																			
	-	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.50	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.50									
<b>IDLC-45X-700 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70									
		-	-	-	-		-	-	-	-									
<b>IDLC-45x-700z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70									
		-	-	-	-		-	-	-	-									

<b>"IDLC-65"</b>																			
<b>IDLC-65x-1050z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	82 MaxVdc	-	-	1.050	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		82 MaxVdc	-	-	1.050									
		-	-	-	-		-	-	-	-									
<b>IDLC-65X-1400z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	60 MaxVdc	-	-	1.400	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		60 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									
<b>IDLC-65X-1750z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	53 MaxVdc	-	-	1.750	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		53 MaxVdc	-	-	1.750									
		-	-	-	-		-	-	-	-									
<b>IDLC-65x-700z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	118 MaxVdc	-	-	0.70	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.70									
		-	-	-	-		-	-	-	-									
<b>"IDLV-45"</b>																			
<b>IDLV-45x-60 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	60 MaxVdc	-	-	0.6	CC, Isolated	Damp	-	-	-	-	+	-	-

		277Vac	50/60	-	0.3		60MaxVdc	-	-	0.75									
		-	-	-	-		-	-	-	-									
<b>"IDPC-25x-y"</b>																			
<b>IDPC-25(A)-1050 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	16.8-24 Max.36Vdc	-	-	1050mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		16.8-24 Max.36Vdc	-	-	1050mA									
<b>IDPC-25(A)-350 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	49-70 Max.100Vdc	-	-	350mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		49-70 Max.100Vdc	-	-	350mA									
<b>IDPC-25(A)-500 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	35-50 Max.75Vdc	-	-	500mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		35-50 Max.75Vdc	-	-	500mA									
<b>IDPC-25(A)-700 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	25.2-36 Max.63Vdc	-	-	700mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		25.2-36 Max.63Vdc	-	-	700mA									
<b>"IDPC-45"</b>																			
<b>IDPC-45X-1050 x may be blank or A</b>																			



	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050									
		-	-	-	-		-	-	-	-									
<b>IDPC-45x-1050z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050									
		-	-	-	-		-	-	-	-									
<b>IDPC-45X-1400 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									
<b>IDPC-45x-1400z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									
<b>IDPC-45x-350z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70									
		-	-	-	-		-	-	-	-									
<b>IDPC-45x-500z x may be blank or A, z may be blank or DA</b>																			

	Leads	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.500	CC, Isolated	Damp	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.500									
		-	-	-	-		-	-	-	-									
<b>IDPC-45X-700 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70									
		-	-	-	-		-	-	-	-									
<b>IDPC-45x-700z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70									
		-	-	-	-		-	-	-	-									
<b>"IDPC-65"</b>																			
<b>IDPC-65X-1050z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	82 MaxVdc	-	-	1.050	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		82 MaxVdc	-	-	1.050									
		-	-	-	-		-	-	-	-									
<b>IDPC-65X-1400z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	60 MaxVdc	-	-	1.400	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		60 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									

<b>IDPC-65X-1750z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	53 MaxVdc	-	-	1.750	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		53 MaxVdc	-	-	1.750									
		-	-	-	-		-	-	-	-									
<b>IDPC-65X-700z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	118 MaxVdc	-	-	0.70	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.70									
		-	-	-	-		-	-	-	-									
<b>"IDPV-45"</b>																			
<b>IDPV-45x-60 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	60 MaxVdc	-	-	0.6	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		60MaxVdc	-	-	0.75									
		-	-	-	-		-	-	-	-									
<b>"NPF/PWM-XY-Z Series"</b>																			
<b>NPF/PWM-XY-Z , where X can be 40 or 60 and where Y can be blank or D and where Z can be 12, 15, 20, 24, 30, 36, 42, 48 or 54.</b>																			
	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	a	a
<b>"ODLC-45"</b>																			
<b>ODLC-45X-1050 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050									

		-	-	-	-		-	-	-										
<b>ODLC-45x-1050z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050									
		-	-	-	-		-	-	-	-									
<b>ODLC-45X-1400 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									
<b>ODLC-45x-1400z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									
<b>ODLC-45X-350 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	118 MaxVdc	-	-	0.350	CC, Isolated	Damp	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.350									
		-	-	-	-		-	-	-	-									
<b>ODLC-45x-350z x may be blank or A, z may be blank or DA</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	118 MaxVdc	-	-	0.350	CC, Isolated	Damp	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.350									

		-	-	-	-		-	-	-											
<b>ODLC-45X-500 x may be blank or A</b>																				
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.500	CC, Isolated	Damp	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.500										
		-	-	-	-		-	-	-	-										
<b>ODLC-45x-500z x may be blank or A, z may be blank or DA</b>																				
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.500	CC, Isolated	Damp	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.500										
		-	-	-	-		-	-	-	-										
<b>ODLC-45X-700 x may be blank or A</b>																				
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70										
		-	-	-	-		-	-	-	-										
<b>ODLC-45x-700z x may be blank or A, z may be blank or DA</b>																				
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70										
		-	-	-	-		-	-	-	-										
<b>"ODLC-65"</b>																				
<b>ODLC-65X-1050z x may be blank or A, z may be blank or DA</b>																				
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	52 MaxVdc	-	-	1.050	CC, Isolated	Damp	-	-	-	-	+	-	-	

		277Vac	50/60	-	0.3		52 MaxVdc	-	-	1.050									
		-	-	-	-		-	-	-	-									
<b>ODLC-65X-1400z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	60 MaxVdc	-	-	1.400	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		60 MaxVdc	-	-	1.400									
		-	-	-	-		-	-	-	-									
<b>ODLC-65X-1750z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	53 MaxVdc	-	-	1.750	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		53 MaxVdc	-	-	1.750									
		-	-	-	-		-	-	-	-									
<b>ODLC-65X-700z x may be blank or A, z may be blank or DA</b>																			
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	118 MaxVdc	-	-	0.70	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.70									
		-	-	-	-		-	-	-	-									
<b>"ODLV-45"</b>																			
<b>ODLV-45x-60 x may be blank or A</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	60 MaxVdc	-	-	0.6	CC, Isolated	Damp	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		60MaxVdc	-	-	0.75									
		-	-	-	-		-	-	-	-									
<b>AD2</b>	Jacketed Cable	277V	-	-	-	Non-isolated	179V	-	-	-		Wet	-	-	-	-	+	-	-

<b>APC-8-250</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	16-32Vdc	-	-	0.25	Isolated	Damp	-	-	-	-	+	-	-
<b>APC-8-350</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	11-23Vdc	-	-	0.35	Isolated	Damp	-	-	-	-	+	-	-
<b>APC-8-500</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	8-16Vdc	-	-	0.5	Isolated	Damp	-	-	-	-	+	-	-
<b>APC-8-700</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	6-11Vdc	-	-	2.0	Isolated	Damp	-	-	-	-	+	-	-
<b>APV-8-12</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	12Vdc	-	-	0.67	Isolated	Damp	-	-	-	-	+	-	-
<b>APV-8-24</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	24Vdc	-	-	0.34	Isolated	Damp	-	-	-	-	+	a	a
<b>APV-8-5</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	5Vdc	-	-	1.4	Isolated	Damp	-	-	-	-	+	-	-
<b>APx-y-z Where x may be V or C, y may be 25 or 35 and z may be 5, 12, 15, 24, 36, 500, 700 or 1050.</b>																			
	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	a	a
<b>ELG-100-24Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	24Vdc	-	96	4.0	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-100-36Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	36Vdc	-	96	2.66	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-100-42Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	42Vdc	-	96	2.28	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-100-48Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	48Vdc	-	96	2.0	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-100-54Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	54Vdc	-	96	1.78	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-100-C1050Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>																			
	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	48-95Vdc	-	100	1.05	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		100-277Vac	50/60	-	1.1		48-95Vdc	-	100	1.05									
<b>ELG-100-C1400Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>																			
	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	35-72Vdc	-	100	1.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		100-277Vac	50/60	-	1.1		35-72Vdc	-	100	1.4									
<b>ELG-100-C350Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>																			

	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	143-286Vdc	-	100	0.35	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		100-277Vac	50/60	-	1.1		143-286Vdc	-	100	0.35									
<b>ELG-100-C500Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>																			
	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	100-200Vdc	-	100	0.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		100-277Vac	50/60	-	1.1		100-200Vdc	-	100	0.5									
<b>ELG-100-C700Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>																			
	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	71-143Vdc	-	100	0.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		100-277Vac	50/60	-	1.1		71-143Vdc	-	100	0.7									
<b>ELG-150-12y</b>	Leads	200-277Vac	50/60	-	0.9	Non-isolated	12Vdc	-	120	10	CV, Isolated	Wet	Yes	-	-	-	+	-	-
		100-277Vac	50/60	-	1.7		12Vdc	-	-	10									
<b>ELG-150-15CL</b>	Leads	200-277Vac	50/60	-	0.9	Non-isolated	15Vdc	-	150	10	CV, Isolated	Wet	Yes	-	-	-	+	a	a
		100-277Vac	50/60	-	1.7		15Vdc	-	-	10									
<b>ELG-150-36y where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>																			
	Leads	200-277Vac	50/60	-	0.9	Non-isolated	36Vdc	-	150	4.17	Isolated	Wet	Yes	-	-	-	+	-	-
		100-277Vac	50/60	-	1.7		36Vdc	-	-	4.17									
<b>ELG-150-42y where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>																			
	Leads	200-277Vac	50/60	-	0.9	Non-isolated	42Vdc	-	150	3.57	Isolated	Wet	Yes	-	-	-	+	-	-
		100-277Vac	50/60	-	1.7		42Vdc	-	-	3.57									
<b>ELG-150-48y where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>																			
	Leads	200-277Vac	50/60	-	0.9	Non-isolated	48Vdc	-	150	3.13	Isolated	Wet	Yes	-	-	-	+	-	-



		100-277Vac	50/60	-	1.7		48Vdc	-	-	3.13									
<b>ELG-150-54y where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>																			
	Leads	100-277Vac	50/60	-	1.7	Non-isolated	54Vdc	-	152	2.8	Isolated	Wet	Yes	-	-	-	+	-	-
		200-277Vac	50/60	-	0.9		54V	-	-	2.8									
<b>ELG-150-C1050Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only</b>																			
	Jacketed cable	100-277Vac	50/60	-	1.7	Non-isolated	72-143Vdc	-	150	1.05	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-150-C1400Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only</b>																			
	Jacketed cable	100-277Vac	50/60	-	1.7	Non-isolated	54-107Vdc	-	150	1.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-150-C1750y where x can be 1750 or 2100, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2 and where z can be 12, 36, 42, 48 or 54.</b>																			
	Leads	100-277Vac	50/60	-	1.7	Non-isolated	43-86Vdc	-	151	1.75	Isolated	Wet	Yes	-	-	-	+	-	-
		200-277Vac	50/60	-	0.9		43-86V	-	-	1.75									
<b>ELG-150-C2100y where x can be 1750 or 2100, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2 and where z can be 12, 36, 42, 48 or 54.</b>																			
	Leads	100-277Vac	50/60	-	1.7	Non-isolated	36-72Vdc	-	152	2.1	Isolated	Wet	Yes	-	-	-	+	-	-
		200-277Vac	50/60	-	0.9		36-72V	-	-	2.1									
<b>ELG-150-C500Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only</b>																			
	Jacketed cable	100-277Vac	50/60	-	1.7	Non-isolated	150-300Vdc	-	150	0.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-150-C700Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only</b>																			
	Jacketed cable	100-277Vac	50/60	-	1.7	Non-isolated	107-214Vdc	-	150	0.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-150-zy where z can be 24 and y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>																			
	Leads	200-277Vac	50/60	-	0.9	Non-isolated	24Vdc	-	150	6.25	LVLE	Wet	Yes	-	-	-	+	a	a
		100-277Vac	50/60	-	1.7		24Vdc	-	-	6.25									

<b>ELG-200-12y</b>	-	100-277Vac	50/60	-	1.8	Other	12V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-200-24y</b>	-	100-277Vac	50/60	-	1.8	Other	24V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-200-36y</b>	-	100-277Vac	50/60	-	1.8	Other	36V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-200-42y</b>	-	100-277Vac	50/60	-	1.8	Other	42V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-200-48y</b>	-	100-277Vac	50/60	-	1.8	Other	48V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-200-54y</b>	-	100-277Vac	50/60	-	1.8	Other	54V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-200-C1050y</b>	-	100-240Vac	50/60	-	1.8	Other	200Vdc	-	-	1.05	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-200-C1400y</b>	-	100-240Vac	50/60	-	1.8	Other	160Vdc	-	-	1.40	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-200-C1750y</b>	-	100-240Vac	50/60	-	1.8	Other	120Vdc	-	-	1.75	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-200-C2100y</b>	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>ELG-200-C700y</b>	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	a	a
<b>ELG-240-24y</b>	-	100-277Vac	50/60	-	2.2	Other	24V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-240-36y</b>	-	100-277Vac	50/60	-	2.2	Other	36V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-240-42y</b>	-	100-277Vac	50/60	-	2.2	Other	42V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-240-48y</b>	-	100-277Vac	50/60	-	2.2	Other	48V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-240-54y</b>	-	100-277Vac	50/60	-	2.2	Other	54V	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>ELG-240-C1050y</b>	-	100-240Vac	50/60	-	2.2	Other	239Vdc	-	-	1.05	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-240-C1400y</b>	-	100-240Vac	50/60	-	2.2	Other	180Vdc	-	-	1.40	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-240-C2100y</b>	-	100-240Vac	50/60	-	2.2	Other	106Vdc	-	-	2.10	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-240-C700y</b>	-	100-240Vac	50/60	-	2.2	Other	360Vdc	-	-	0.7	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-300-24Y Y may be blank or A</b>																			
	-	100-240Vac	50/60	-	3.0	Non-isolated	14.4-24Vdc	-	255.12	10.63	Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.3		14.4-24Vdc	-	300	12.5									

<b>ELG-75-12y</b>	Leads	100-277Vac	50/60	-	0.7	Non-isolated	12Vdc	-	-	5	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-24y</b>	Leads	100-277V	50/60	-	0.7	Non-isolated	24Vdc	-	-	3.15	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-36y</b>	Leads	100-277Vac	50/60	-	0.7	Non-isolated	36Vdc	-	-	2.1	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-42y</b>	Leads	100-277Vac	50/60	-	0.7	Non-isolated	42Vdc	-	-	1.8	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-48y</b>	Leads	100-277Vac	50/60	-	0.7	Non-isolated	48Vdc	-	-	1.6	Class 2	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-C1050y</b>	Jacketed cable	100-277Vac	50/60	-	0.70	Non-isolated	78Vdc	-	-	1.05	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-C1400y</b>	Jacketed cable	100-277Vac	50/60	-	0.70	Non-isolated	61Vdc	-	-	1.4	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-C350y</b>	Jacketed cable	100-277Vac	50/60	-	.070	Non-isolated	224Vdc	-	-	0.35	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-C500y</b>	Jacketed cable	100-277Vac	50/60	-	0.70	Non-isolated	158Vdc	-	-	0.5	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELG-75-C700y.</b>	Jacketed cable	100-277Vac	50/60	-	0.70	Non-isolated	114Vdc	-	-	0.7	Isolated	Wet	Yes	-	-	-	+	-	-
<b>ELGC-300-H-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2</b>																			
	-	100-240Vac	50/60	-	3.0	Non-isolated	29-58Vdc	-	256.36	6.8		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.3		Max. 62V	-	301.6	8.0									
<b>ELGC-300-L-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2</b>																			
	-	100-240Vac	50/60	-	3.0	Non-isolated	116-232Vdc	-	256.36	1.7		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.3		Max. 240Vdc	-	301.6	2.0									
<b>ELGC-300-M-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2</b>																			
	-	100-240Vac	50/60	-	3.0	Non-isolated	58-116Vdc	-	256.36	3.4		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.3		Max. 120Vdc	-	301.6	4.0									

<b>HBG-100-60Y where Y may be A, B, AB, E, DA or blank</b>																			
	Jacketed cable	277Vac	50/60	-	-	Non-isolated	62Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HBG-100-XP (a)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	25-62Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		25-62Vdc	-	-	-									
<b>HBG-100-XY (a)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	25-62Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		25-62Vdc	-	-	-									
<b>HBG-100P-36y, Y=A or B Where Y may be A, DA or B.</b>																			
	-	100-240Vac	50/60	-	1.1	Other	-	-	37	2.7		Damp	-	-	-	-	+	-	-
<b>HBG-100P-48y, Y=A or B Where Y may be A, DA or B</b>																			
	-	100-240Vac	50/60	-	1.1	Other	-	-	49	2.0		Damp	-	-	-	-	+	-	-
<b>HBG-100P-60Y where Y may be A, B, AB, E, DA or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	62Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HBG-100P-60y, Y=A or B Where Y may be A, DA or B</b>																			
	-	100-240Vac	50/60	-	1.1	Other	-	-	62	1.6		Damp	-	-	-	-	+	-	-
<b>HBG-160-24Y where Y may be A, B, AB, E DA or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	24Vdc	-	156	6.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.7		24Vdc	-	156	6.5									
<b>HBG-160-36Y where Y may be A, B, AB, E, DA or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	36Vdc	-	158.4	4.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.7		36Vdc	-	158.4	4.4									

<b>HBG-160-48Y where Y may be A, B, AB, E, DA or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	48Vdc	-	158.4	3.3	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.7		48Vdc	-	158.4	3.3									
<b>HBG-160-60Y where Y may be A, B, AB, E, DA or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	60Vdc	-	156	2.6	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.7		60Vdc	-	156	2.6									
<b>HBG-160P-36Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA</b>																			
	-	100-240Vac	50/60	-	1.7	Other	24-60V	-	158	4.4		Damp	-	-	-	-	+	-	-
<b>HBG-160P-48Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA</b>																			
	-	100-240Vac	50/60	-	1.7	Other	24-60V	-	158	3.3		Damp	-	-	-	-	+	-	-
<b>HBG-160P-60Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA</b>																			
	-	100-240Vac	50/60	-	1.7	Other	24-60V	-	156	2.6		Damp	-	-	-	-	+	-	-
<b>HBG-200-36Y where Y may be A, B, AB, E DA or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.9	Non-isolated	24Vdc	-	158.4	4.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.9		24Vdc	-	198	5.5									
<b>HBG-200-48Y where Y may be A, B, AB, E DA or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.9	Non-isolated	24Vdc	-	158.4	3.3	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.9		24Vdc	-	196.8	4.1									
<b>HBG-200-60Y where Y may be A, B, AB, E DA or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.9	Non-isolated	24Vdc	-	156	2.6	CC, Isolated	Wet	Yes	-	-	-	+	-	-

		277Vac	50/60	-	0.9		24Vdc	-	198	3.3									
<b>HBG-240P-36y, Y=A or B</b>	-	100-240Vac	50/60	-	2.5	Other	-	-	37	6.7		Damp	-	-	-	-	+	-	-
<b>HBG-240P-48y, Y=A or B</b>	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	a	a
<b>HBG-240P-60y, Y=A or B</b>	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>HBGC-300-H-Y Y may be blank or A, B, AB, DA or ADA</b>																			
	-	100-240Vac	50/60	-	3.6	Non-isolated	29-58Vdc	-	301.6	8.67	Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.4		Max.62Vdc	-	301.6	8.67									
<b>HBGC-300-L-Y Y may be blank or A, B, AB, DA or ADA</b>																			
	-	100-240Vac	50/60	-	3.6	Non-isolated	116-232Vdc	-	301.6	2.17	Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.4		Max. 240Vdc	-	301.6	2.17									
<b>HBGC-300-M-Y Y may be blank or A, B, AB, DA or ADA</b>																			
	-	100-240Vac	50/60	-	3.6	Non-isolated	58-116Vdc	-	301.6	4.33	Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.4		Max. 120Vdc	-	301.6	4.33									
<b>HLG-240-12Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		12Vdc	-	-	-									
<b>HLG-240-15Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		15Vdc	-	-	-									

<b>HLG-240-20Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-240-24Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		24Vdc	-	-	-									
<b>HLG-240-30Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		30Vdc	-	-	-									
<b>HLG-240-36Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		36Vdc	-	-	-									
<b>HLG-240-42Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		42Vdc	-	-	-									
<b>HLG-240-48Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		48Vdc	-	-	-									

<b>HLG-240-54Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		54Vdc	-	-	-									
<b>HLG-240H-12AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	12Vdc	-	-	16		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.2		12Vdc	-	-	16									
<b>HLG-240H-12Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-15AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	15Vdc	-	-	15		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.2		15Vdc	-	-	15									
<b>HLG-240H-15Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		15Vdc	-	-	-									
<b>HLG-240H-20AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	20Vdc	-	-	12		Wet	Yes	-	-	-	+	a	a



		277Vac	50/60	-	1.2		20Vdc	-	-	12									
<b>HLG-240H-20Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		20Vdc	-	-	-									
<b>HLG-240H-24AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	24Vdc	-	-	10		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.2		24Vdc	-	-	10									
<b>HLG-240H-24Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-30AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	30Vdc	-	-	8		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.2		30Vdc	-	-	8									
<b>HLG-240H-30Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		30Vdc	-	-	-									
<b>HLG-240H-36AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			

	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	36Vdc	-	-	6.7		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.2		36Vdc	-	-	6.7									
<b>HLG-240H-36Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		36Vdc	-	-	-									
<b>HLG-240H-42AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	42Vdc	-	-	5.72		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.2		42Vdc	-	-	5.72									
<b>HLG-240H-42Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		42Vdc	-	-	-									
<b>HLG-240H-48AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	48Vdc	-	-	5		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.2		48Vdc	-	-	5									
<b>HLG-240H-48Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-

		277Vac	50/60	-	-		48Vdc	-	-	-									
<b>HLG-240H-54AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>																			
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	54Vdc	-	-	4.45		Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.2		54Vdc	-	-	4.45									
<b>HLG-240H-54Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	-		54Vdc	-	-	-									
<b>HLG-240H-C1050</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C1050A</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C1050AB</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C1050AD2</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C1050B</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C1050D</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C1050D2</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C1400</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1400A</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-

<b>HLG-240H-C1400AB</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1400AD2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1400B</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1400D</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1400D2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1750</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1750A</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1750AB</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1750B</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1750D</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C1750D2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C2100</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C2100A</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C2100AB</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C2100AD2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet	-	-	-	-	+	-	-

<b>HLG-240H-C2100B</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C2100D</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C2100D2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet	-	-	-	-	+	-	-
<b>HLG-240H-C700</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C700A</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C700AB</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C700AD2</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C700B</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C700D</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet	Yes	-	-	-	+	-	-
<b>HLG-240H-C700D2</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet	Yes	-	-	-	+	-	-
<b>HLG-320H-12AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	12Vdc	-	264	22	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		12Vdc	-	264	22									
<b>HLG-320H-12Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	12Vdc	-	264	22	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	-	-	1.45		12Vdc	-	264	22									

<b>HLG-320H-15AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	15Vdc	-	-	19	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		15Vdc	-	-	19									
<b>HLG-320H-15Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	15Vdc	-	285	19	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	1.45		15Vdc	-	285	19									
<b>HLG-320H-20AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	20Vdc	-	-	15	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		20Vdc	-	-	15									
<b>HLG-320H-20Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	20Vdc	-	300	15	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	1.45		20Vdc	-	300	15									
<b>HLG-320H-24AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	24Vdc	-	-	13.34	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		24Vdc	-	-	13.34									
<b>HLG-320H-24Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	24Vdc	-	320	13.34	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	1.45		24Vdc	-	320	13.34									
<b>HLG-320H-30AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank</b>																			

	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	30Vdc	-	-	10.7	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		30Vdc	-	-	10.7									
<b>HLG-320H-30Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	30Vdc	-	320	10.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	1.45		30Vdc	-	320	10.7									
<b>HLG-320H-36AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	36Vdc	-	-	8.9	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		36Vdc	-	-	8.9									
<b>HLG-320H-36Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	36Vdc	-	320	8.9	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	1.45		36Vdc	-	320	8.9									
<b>HLG-320H-42AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	42Vdc	-	-	7.65	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		42Vdc	-	-	7.65									
<b>HLG-320H-42Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	42Vdc	-	320	7.65	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	1.45		42Vdc	-	320	7.65									
<b>HLG-320H-48AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	48Vdc	-	-	6.7	CC, Isolated	Wet	Yes	-	-	-	+	a	a

		277Vac	50/60	-	1.45		48Vdc	-	-	6.7									
<b>HLG-320H-48BTE where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	48Vdc	-	320	6.7	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		48Vdc	-	320	6.7									
<b>HLG-320H-48Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	48Vdc	-	320	6.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	1.45		48Vdc	-	320	6.7									
<b>HLG-320H-54AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is, A, B, C, AB, or D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	54Vdc	-	-	5.95	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	1.45		54Vdc	-	-	5.95									
<b>HLG-320H-54Z where Z = A, B, C, D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	54Vdc	-	320	5.95	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	1.45		54Vdc	-	320	5.95									
<b>HLG-320H-C1050y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>																			
	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	a	a
<b>HLG-320H-C1400y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>																			
	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	a	a
<b>HLG-320H-C1750y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>																			
	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	a	a
<b>HLG-320H-C2100y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>																			
	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	a	a



<b>HLG-320H-C2800y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>																				
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	a	a
<b>HLG-320H-C3500y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>																				
	Jacketed cable	100-240V	50/60	-	3.5	Non-isolated	46-91V	-	-	3.5		Wet	Yes	-	-	-	+	a	a	
<b>HLG-320H-C700y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>																				
	Jacketed cable	100-240V	50/60	-	3.5	Non-isolated	214-428V	-	-	0.7		Wet	Yes	-	-	-	+	a	a	
<b>HLG-40H-12Z Z can be A, B, D, AB or blank</b>																				
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	12Vdc	-	40	3.33	CC, Class 2	Wet	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.23		12Vdc	-	40	3.33										
<b>HLG-40H-15Z Z can be A, B, D, AB or blank</b>																				
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	15Vdc	-	40	2.67	CC, Class 2	Wet	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.23		15Vdc	-	40	2.67										
<b>HLG-40H-20Z Z can be A, B, D, AB or blank</b>																				
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	20Vdc	-	40	2	CC, Class 2	Wet	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.23		20Vdc	-	40	2										
<b>HLG-40H-24Z Z can be A, B, D, AB or blank</b>																				
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	24Vdc	-	40	1.67	CC, Class 2	Wet	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.23		24Vdc	-	40	1.67										
<b>HLG-40H-30Z Z can be A, B, D, AB or blank</b>																				

	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	30Vdc	-	40	1.34	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.23		30Vdc	-	40	1.34									
<b>HLG-40H-36Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	36Vdc	-	40	1.12	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.23		23Vdc	-	40	1.12									
<b>HLG-40H-42Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	42Vdc	-	40	0.96	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.23		42Vdc	-	40	0.96									
<b>HLG-40H-48Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	48Vdc	-	40	0.84	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.23		48Vdc	-	40	0.84									
<b>HLG-40H-54Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	54Vdc	-	40	0.75	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.23		54Vdc	-	40	0.75									
<b>HLG-480H-C1400z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	171-343 Max. 426Vdc	-	-	1.4	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	2.0		171-343 Max. 426Vdc	-	-	1.4									
<b>HLG-480H-C1750z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>																			

	Leads	100-240Vac	50/60	-	5.5	Non-isolated	137-274 Max. 340Vdc	-	-	1.75	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	2.0		137-274 Max. 340Vdc	-	-	1.75									
<b>HLG-480H-C2100z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	114-229 Max. 280Vdc	-	-	2.1	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	2.0		114-229 Max. 280Vdc	-	-	2.1									
<b>HLG-480H-C2800z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	85-171 Max. 210Vdc	-	-	2.8	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	2.0		85-171 Max. 210Vdc	-	-	2.8									
<b>HLG-480H-C3500z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>																			
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	68-137 Max. 180Vdc	-	-	3.5	CC, Isolated	Wet	Yes	-	-	-	+	a	a
		277Vac	50/60	-	2.0		68-137 Max. 180Vdc	-	-	3.5									
<b>HLG-600H-12Y where Y can be blank, A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	12Vdc	-	480	40	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.9		12Vdc	-	480	40									
<b>HLG-600H-15Y where Y can be blank, A, B or AB</b>																			

	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	15Vdc	-	540	36	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.9		15Vdc	-	540	36									
<b>HLG-600H-20Y where Y can be blank, A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	20Vdc	-	560	28	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.9		20Vdc	-	560	28									
<b>HLG-600H-24Y where Y can be blank, A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	24Vdc	-	600	25	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.9		24Vdc	-	600	25									
<b>HLG-600H-30Y where Y can be blank, A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	30Vdc	-	600	20	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.9		30Vdc	-	600	20									
<b>HLG-600H-36Y where Y can be blank, A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	36Vdc	-	600	16.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.9		36Vdc	-	600	16.7									
<b>HLG-600H-42Y where Y can be blank, A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	42Vdc	-	600	14.3	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.9		42Vdc	-	600	14.3									
<b>HLG-600H-48Y where Y can be blank, A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	48Vdc	-	600	12.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-

		277Vac	50/60	-	2.9		48Vdc	-	600	12.5									
<b>HLG-600H-54Y where Y can be blank, A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	54Vdc	-	600	11.2	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	2.9		54Vdc	-	600	11.2									
<b>HLG-60H-12Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		12Vdc	-	60	5									
<b>HLG-60H-15Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	15Vdc	-	60	4	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		15Vdc	-	60	4									
<b>HLG-60H-20Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	20Vdc	-	60	3	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		20Vdc	-	60	3									
<b>HLG-60H-24Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	24Vdc	-	60	2.5	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		24Vdc	-	60	2.5									
<b>HLG-60H-30Z Z can be A, B, D , AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	30Vdc	-	60	2	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		30Vdc	-	60	2									
<b>HLG-60H-36Z Z can be A, B, D , AB or blank</b>																			

	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	36Vdc	-	61	1.7	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		36Vdc	-	61	1.7									
<b>HLG-60H-42Z Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	42Vdc	-	60	1.45	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		42Vdc	-	60	1.45									
<b>HLG-60H-48Z Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	48Vdc	-	62	1.3	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		48Vdc	-	62	1.3									
<b>HLG-60H-54Z Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	54Vdc	-	62	1.15	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.3		54Vdc	-	62	1.15									
<b>HLG-80H-12Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		12Vdc	-	60	5									
<b>HLG-80H-15Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		15Vdc	-	75	5									
<b>HLG-80H-20Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	20Vdc	-	80	4	CC, Class 2	Wet	Yes	-	-	-	+	-	-

		277Vac	50/60	-	0.4		20Vdc	-	80	4									
<b>HLG-80H-24Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	24Vdc	-	80	3.4	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		24Vdc	-	80	3.4									
<b>HLG-80H-30Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	30Vdc	-	80	2.7	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		30Vdc	-	80	2.7									
<b>HLG-80H-36Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	36Vdc	-	80	2.3	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		36Vdc	-	80	2.3									
<b>HLG-80H-42Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	42Vdc	-	80	1.95	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		42Vdc	-	80	1.95									
<b>HLG-80H-48Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	48Vdc	-	80	1.7	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		48Vdc	-	80	1.7									
<b>HLG-80H-54Z where Z can be A, B, D, AB or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	54Vdc	-	80	1.5	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		54Vdc	-	80	1.5									
<b>HLN-40H-12Z Z can be A, B or AB</b>																			

	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	12Vdc	-	40	3.33	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		12Vdc	-	40	3.33									
<b>HLN-40H-15Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	15Vdc	-	40	2.67	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		15Vdc	-	40	2.67									
<b>HLN-40H-20Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	20Vdc	-	40	2	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		20Vdc	-	40	2									
<b>HLN-40H-24Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	24Vdc	-	40	1.67	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		24Vdc	-	40	1.67									
<b>HLN-40H-30Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	30Vdc	-	40	1.34	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		30Vdc	-	40	1.34									
<b>HLN-40H-36Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	36Vdc	-	40	1.12	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		36Vdc	-	40	1.12									
<b>HLN-40H-42Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	42Vdc	-	40	0.96	CC, Class 2	Wet	-	-	-	-	+	-	-



		277Vac	50/60	-	0.23		42Vdc	-	40	0.96									
<b>HLN-40H-48Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	48Vdc	-	40	0.84	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		48Vdc	-	40	0.84									
<b>HLN-40H-54Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	54Vdc	-	40	0.75	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		54Vdc	-	40	0.75									
<b>HLN-60H-12Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		12Vdc	-	60	5									
<b>HLN-60H-15Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	15Vdc	-	60	4	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		15Vdc	-	60	4									
<b>HLN-60H-20Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	20Vdc	-	60	3	CC, Class 2	Wet	-	-	-	-	+	-	-
<b>HLN-60H-24Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	24Vdc	-	60	2.5	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		24Vdc	-	60	2.5									
<b>HLN-60H-30Z Z can be A, B or AB</b>																			

	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	30Vdc	-	60	2	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		30Vdc	-	60	2									
<b>HLN-60H-36Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	36Vdc	-	60	1.7	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		36Vdc	-	60	1.7									
<b>HLN-60H-42Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	42Vdc	-	60	1.45	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		42Vdc	-	60	1.45									
<b>HLN-60H-48Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	48Vdc	-	60	1.3	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		48Vdc	-	60	1.3									
<b>HLN-60H-54Z Z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	54Vdc	-	62	1.15	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		54Vdc	-	62	1.15									
<b>HLN-80H-YZ Where Y can be 12, 15, 20, 24, 30, 36, 42, 45, 54 and z can be A, B or AB</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.85	Isolated Circuit	12Vdc	-	60	5	CC, Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		12Vdc	-	60	5									
<b>HLP-40H-12</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	12Vdc	-	40	3.33	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		12Vdc	-	40	3.33									

<b>HLP-40H-15</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	15Vdc	-	40	2.67	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		15Vdc	-	40	2.67									
<b>HLP-40H-20</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	20Vdc	-	40	2	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		20Vdc	-	40	2									
<b>HLP-40H-24</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	24Vdc	-	40	1.67	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		24Vdc	-	40	1.67									
<b>HLP-40H-30</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	30Vdc	-	40	1.34	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		30Vdc	-	40	1.34									
<b>HLP-40H-36</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	36Vdc	-	40	1.12	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		36Vdc	-	40	1.12									
<b>HLP-40H-42</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	42Vdc	-	40	0.96	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		42Vdc	-	40	0.96									
<b>HLP-40H-48</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	48Vdc	-	34	0.84	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		48Vdc	-	34	0.84									
<b>HLP-40H-54</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	54Vdc	-	40	0.75	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.23		54Vdc	-	40	0.75									
<b>HLP-60H-12</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		12Vdc	-	60	5									

<b>HLP-60H-15</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	15Vdc	-	60	4	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		15Vdc	-	60	4									
<b>HLP-60H-20</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	20Vdc	-	60	3	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		20Vdc	-	60	3									
<b>HLP-60H-24</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	24Vdc	-	60	2.5	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		24Vdc	-	60	2.5									
<b>HLP-60H-30</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	30Vdc	-	60	2	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		30Vdc	-	60	2									
<b>HLP-60H-36</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	36Vdc	-	61	1.7	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		36Vdc	-	61	1.7									
<b>HLP-60H-42</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	42Vdc	-	60	1.45	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		42Vdc	-	60	1.45									
<b>HLP-60H-48</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	48Vdc	-	62	1.3	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		48Vdc	-	62	1.3									
<b>HLP-60H-54</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	54Vdc	-	62	1.15	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.3		54Vdc	-	62	1.15									
<b>HLP-80H-12</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		12Vdc	-	60	5									

<b>HLP-80H-15</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		15Vdc	-	75	5									
<b>HLP-80H-20</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	20Vdc	-	80	4	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		20Vdc	-	80	4									
<b>HLP-80H-24</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	24Vdc	-	82	3.4	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		24Vdc	-	82	3.4									
<b>HLP-80H-30</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	30Vdc	-	81	2.7	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		30Vdc	-	81	2.7									
<b>HLP-80H-36</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	36Vdc	-	83	2.3	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		36Vdc	-	83	2.3									
<b>HLP-80H-42</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	42Vdc	-	82	1.95	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		42Vdc	-	82	1.95									
<b>HLP-80H-48</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	48Vdc	-	82	1.7	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		48Vdc	-	82	1.7									
<b>HLP-80H-54</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	54Vdc	-	81	1.5	CC, Class 2	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.4		54Vdc	-	81	1.5									
<b>HVG-100-15A-CZZZZ CZZZ=0 to 5000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.43	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet	Yes	-	-	-	+	-	-

<b>HVG-100-15AB-CZZZZ CZZZ=0 to 5000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.43	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-15B-CZZZZ CZZZ=0 to 5000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.43	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-15D-CZZZZ CZZZ=0 to 5000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.43	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-20A-CZZZZ CZZZ=0 to 4800, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	20Vdc	-	100	4.8	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-20AB-CZZZZ CZZZ=0 to 4800, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	20Vdc	-	100	4.8	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-20B-CZZZZ CZZZ=0 to 4800, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	20Vdc	-	100	4.8	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-20D-CZZZZ CZZZ=0 to 4800, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	20Vdc	-	100	4.8	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-24A-CZZZZ CZZZ=0 to 4000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	24Vdc	-	96	4.0	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-24AB-CZZZZ CZZZ=0 to 4000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	24Vdc	-	96	4.0	CC, Class 2	Wet	Yes	-	-	-	+	-	-

<b>HVG-100-24B-CZZZZ CZZZ=0 to 4000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	24Vdc	-	96	4.0	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-24D-CZZZZ CZZZ=0 to 4000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	24Vdc	-	96	4.0	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-30A-CZZZZ CZZZ=0 to 3200, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	30Vdc	-	96	3.2	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-30AB-CZZZZ CZZZ=0 to 3200, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	30Vdc	-	96	3.2	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-30B-CZZZZ CZZZ=0 to 3200, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	30Vdc	-	96	3.2	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-30D-CZZZZ CZZZ=0 to 3200, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	30Vdc	-	96	3.2	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-36A-CZZZZ CZZZ=0 to 2650, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	36Vdc	-	96	2.65	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-36AB-CZZZZ CZZZ=0 to 2650, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	36Vdc	-	96	2.65	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-36B-CZZZZ CZZZ=0 to 2650, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	36Vdc	-	96	2.65	CC, Class 2	Wet	Yes	-	-	-	+	-	-

<b>HVG-100-36D-CZZZZ CZZZ=0 to 2650, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	36Vdc	-	96	2.65	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-42A-CZZZZ CZZZ=0 to 2280, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	42Vdc	-	96	2.28	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-42AB-CZZZZ CZZZ=0 to 2280, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	42Vdc	-	96	2.28	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-42B-CZZZZ CZZZ=0 to 2280, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	42Vdc	-	96	2.28	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-42D-CZZZZ CZZZ=0 to 2280, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	42Vdc	-	96	2.28	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-48A-CZZZZ CZZZ=0 to 2000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	48Vdc	-	96	2.0	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-48AB-CZZZZ CZZZ=0 to 2000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	48Vdc	-	96	2.0	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-48B-CZZZZ CZZZ=0 to 2000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	48Vdc	-	96	2.0	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-48D-CZZZZ CZZZ=0 to 2000, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	48Vdc	-	96	2.0	CC, Class 2	Wet	Yes	-	-	-	+	-	-



<b>HVG-100-54A-CZZZZ CZZZ=0 to 1770, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	54Vdc	-	96	1.77	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-54AB-CZZZZ CZZZ=0 to 1770, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	54Vdc	-	96	1.77	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-54B-CZZZZ CZZZ=0 to 1770, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	54Vdc	-	96	1.77	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-100-54D-CZZZZ CZZZ=0 to 1770, or blank</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	54Vdc	-	96	1.77	CC, Class 2	Wet	Yes	-	-	-	+	-	-
<b>HVG-150-12Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.73	Non-isolated	12Vdc	-	120	10	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-150-15Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	15Vdc	-	150	10	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-150-20Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	20Vdc	-	150	7.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-150-24Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	24Vdc	-	150	6.25	CC, LVLE	Wet	Yes	-	-	-	+	a	a
<b>HVG-150-30Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	30Vdc	-	150	5	CC, Isolated	Wet	Yes	-	-	-	+	-	-

<b>HVG-150-36Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	36Vdc	-	150	4.17	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-150-42Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	42Vdc	-	150	3.58	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-150-48Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	48Vdc	-	150	3.13	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-150-54Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	54Vdc	-	150	2.78	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-240-24y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	24Vdc	-	240	10	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-240-30y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	30Vdc	-	240	8	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-240-36y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	36Vdc	-	241	6.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-240-42y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	42Vdc	-	240	5.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-240-48y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	48Vdc	-	240	5	CC, Isolated	Wet	Yes	-	-	-	+	-	-

<b>HVG-240-54y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	54Vdc	-	243	4.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-320-24y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	24Vdc	-	322	13.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-320-30y y may be blank A, B, D, AB, or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	30Vdc	-	321	10.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-320-36y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	36Vdc	-	320	8.9	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-320-42y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	42Vdc	-	320	7.6	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-320-48y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	48Vdc	-	322	6.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-320-54y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	54Vdc	-	324	6.0	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-480-24Y (Y= blank, A, B, AB, Dx or D2)</b>																			
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	24Vdc	-	-	20	CV, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-480-30Y (Y= blank, A, B, AB, Dx or D2)</b>																			
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	30Vdc	-	-	16	CV, Isolated	Wet	Yes	-	-	-	+	-	-

<b>HVG-480-36Y (Y= blank, A, B, AB, Dx or D2)</b>																			
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	36Vdc	-	-	13.3	CV, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-480-42Y (Y= blank, A, B, AB, Dx or D2)</b>																			
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	42Vdc	-	-	11.4	CV, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-480-48Y (Y= blank, A, B, AB, Dx or D2)</b>																			
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	48Vdc	-	-	10	CV, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-480-54Y (Y= blank, A, B, AB, Dx or D2)</b>																			
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	54Vdc	-	-	8.9	CV, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVG-65-YX-CZZZZ where X may be A, B, D or AB, Y may be 12, 15, 20, 24, 30, 36, 42, 48 and 54, and CZZZZ is optional, when provided, the ZZZZ may be substituted with a four-digit number that is between 0000 and the maximum number as follows. When Y is 12, 15, 20, 24, 30, 36, 42, 48 or 54, the corresponding maximum value for "ZZZZ" is 5000, 4300, 3250, 2710, 2170, 1810, 1550, 1360 or 1210</b>																			
	Cord- and- plug	200-480Vac	50/60	-	0.39	Non-isolated	12-54Vdc	-	65	5-1.21	CC, Class 2	Wet	-	-	-	-	+	-	-
<b>HVGC-100-XY where X may be 350 or 700 and Y can be A, B or D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	142-285Vdc	-	100	0.7-0.35	CC, Isolated	Wet	-	-	-	-	+	-	-
<b>HVGC-150-1050Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	143Vdc	-	150	1.05	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-150-1400Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	107Vdc	-	150	1.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-150-350Y Y may be A, B, D or AB</b>																			

	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	428Vdc	-	150	0.35	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-150-500Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	300Vdc	-	150	0.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-150-700Y Y may be A, B, D or AB</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	215Vdc	-	150	.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-240-1050y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	228.6Vdc	-	240	1.05	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-240-1400y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	150	1.5	Non-isolated	171.4Vdc	-	240	1.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-240-1750y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	137.1Vdc	-	240	1.75	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-240-2100y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	114.3Vdc	-	240	2.1	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-240-2800y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	85.7Vdc	-	240	2.8	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-240-3500y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	68.6Vdc	-	240	3.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-240-700y y may be blank, A, B, D, AB or D2</b>																			

	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	342.8Vdc	-	240	0.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-320-1050y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	304.8	1.05	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-320-1400y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	228.6	1.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-320-1750y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	182.8	1.75	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-320-2100y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	152.4	2.1	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-320-2800y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	114.3	2.8	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-320-3500y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	91.4	3.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-320-700y y may be blank, A, B, D, AB or D2</b>																			
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	611Vdc	-	428	0.7	CC, Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-480-H-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related</b>																			
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	68-171.5VVdc	-	-	Max.3500	Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-480-L-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related</b>																			

	Leads	200-480Vac	50/60	-	2.8	Non-isolated	137-343VVdc	-	-	Max.1750	Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-480-M-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related.</b>																			
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	92-228.5VVdc	-	-	Max.2625	Isolated	Wet	Yes	-	-	-	+	-	-
<b>HVGC-65-XY where X may be 350, 500, 700, 1050; Y can be A, B, AB or D</b>																			
	Jacketed cable	200-480Vac	50/60	-	0.39	Non-isolated	62-186Vdc	-	65	1.05-0.35	CC, Isolated	Wet	-	-	-	-	+	-	-
<b>HVGC-650-H-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>																			
	-	200-480Vac	50/60	-	3.8	Non-isolated	46.4-116Vdc	-	649.6	7.0	Isolated	Wet	Yes	-	-	-	+	a	a
		-	-	-	-		-	-	-										
		-	50/60	-	3.8		Max. 120V	-	-	-									
<b>HVGC-650-L-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>																			
	-	200-480Vac	50/60	-	3.8	Non-isolated	92.8-232Vdc	-	650	3.5	Isolated	Wet	Yes	-	-	-	+	a	a
		-	-	-	-		-	-	-										
		-	50/60	-	3.8		Max 240V	-	-	-									
<b>HVGC-650-M-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>																			
	-	200-480Vac	50/60	-	3.8	Non-isolated	62-155Vdc	-	651	5.25	Isolated	Wet	Yes	-	-	-	+	a	a
		-	-	-	-		-	-	-										
		-	50/60	-	3.8		Max 160V	-	-	-									
<b>HVGC-650-U-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>																			
	-	200-480Vac	50/60	-	3.8	Non-isolated	24-58Vdc	-	649.6	14.0	Isolated	Wet	Yes	-	-	-	+	a	a
		-	50/60	-	-		Max. 70Vdc	-	-	-									
<b>HVGC-650A-H-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>																			

	-	200-480Vac	50/60	-	3.8	Non-isolated	46.4-116Vdc	-	649.6	7.0	Isolated	Wet	Yes	-	-	-	+	a	a
		-	50/60	-	3.8		Max. 120Vdc	-	-	-									
		-	50/60	-	3.8		12(AUX)V	-	2.4	0.2									
<b>HVGC-650A-L-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>																			
	-	200-480Vac	50/60	-	3.8	Non-isolated	92.8-232Vdc	-	650	3.5	Isolated	Wet	Yes	-	-	-	+	a	a
		-	50/60	-	3.8		Max. 240Vdc	-	-	-									
		-	50/60	-	3.8		12(AUX)V	-	2.4	0.2									
<b>HVGC-650A-M-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>																			
	-	200-480Vac	50/60	-	3.8	Non-isolated	62-155Vdc	-	651	5.25	Isolated	Wet	Yes	-	-	-	+	a	a
		-	50/60	-	3.8		Max. 160Vdc	-	-	-									
		-	50/60	-	3.8		12(AUX)V	-	2.4	0.2									
<b>HVGC-650A-U-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>																			
	-	200-480Vac	50/60	-	3.8	Non-isolated	24-58Vdc	-	649.6	14.0	Isolated	Wet	Yes	-	-	-	+	a	a
		-	50/60	-	3.8		Max. 70Vdc	-	-	-									
		-	50/60	-	3.8		12(AUX)V	-	2.4	0.2									
<b>IDLV-25(A)-60 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	60Vdc	-	-	420mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		60Vdc	-	-	420mA									
<b>IDLV-25x-12 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	12Vdc	-	-	1.8 A	Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		12Vdc	-	-	1.8A									



<b>IDLV-25x-24 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	24Vdc	-	-	1.05 A	Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		24Vdc	-	-	1.05A									
<b>IDLV-25x-36 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	36Vdc	-	-	0.7 A	Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		36Vdc	-	-	0.7 A									
<b>IDLV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	48Vdc	-	-	0.52 A	Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		48Vdc	-	-	0.52 A									
<b>IDLV-45x-12 where x can be A or blank</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	12V	-	-	3.0	Class 2	Damp	-	-	-	-	+	-	-
		-	-	-	-		-	-	-										
		277Vac	50/60	-	0.3		12V	-	-	3.0									
<b>IDLV-45x-24 where x can be A or blank</b>																			
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	24V	-	-	1.5	Class 2	Damp	-	-	-	-	+	-	-
		-	-	-	-		-	-	-										
		200-277Vac	50/60	-	0.3		24V	-	-	1.88									
<b>IDLV-45x-36 where x can be A or blank</b>																			
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	36V	-	-	1.0	Class 2	Damp	-	-	-	-	+	-	-
		-	-	-	-		-	-	-										
		200-277Vac	50/60	-	0.3		36V	-	-	1.25									
<b>IDLV-45x-48 where x can be A or blank</b>																			
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	48V	-	-	0.75	Class 2	Damp	-	-	-	-	+	-	-

		-	-	-	-		-	-	-										
		200-277Vac	50/60	-	0.3		48V	-	-	0.94									
<b>IDLV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	-	-	-	-	-	Isolated Circuit	-	-	-		-	-	-	-	-	+	-	-	
<b>IDPV-25(A)-60 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	60Vdc	-	-	420mA		Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		60Vdc	-	-	420mA									
<b>IDPV-25x-12 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	12Vdc	-	-	1.8 A	Isolated	Damp	-	-	-	-	+	a	a
		277Vac	50/60	-	0.13		12Vdc	-	-	1.8A									
<b>IDPV-25x-24 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	24Vdc	-	-	1.05 A	Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		24Vdc	-	-	1.05A									
<b>IDPV-25x-36 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	36Vdc	-	-	0.7 A	Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		36Vdc	-	-	0.7 A									
<b>IDPV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	48Vdc	-	-	0.52 A	Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		48Vdc	-	-	0.52 A									
<b>IDPV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	48Vdc	-	-	0.52 A	Isolated	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.13		48Vdc	-	-	0.52 A									
<b>IDPV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			

	Leads	277Vac	50/60	-	0.13	Non-isolated	48Vdc	-	-	0.52 A	Isolated	Damp	-	-	-	-	+	-	-
<b>IDPV-45x-12 where x can be A or blank</b>																			
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	12V	-	-	3.0	Class 2	Damp	-	-	-	-	+	-	-
		-	-	-	-		-	-	-										
		277Vac	50/60	-	0.3		12V	-	-	3.0									
<b>IDPV-45x-24 where x can be A or blank</b>																			
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	24V	-	-	1.5	Class 2	Damp	-	-	-	-	+	-	-
		-	-	-	-		-	-	-										
		200-277Vac	50/60	-	0.3		24V	-	-	1.88									
<b>IDPV-45x-36 where x can be A or blank</b>																			
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	36V	-	-	1.0	Class 2	Damp	-	-	-	-	+	-	-
		-	-	-	-		-	-	-										
		200-277Vac	50/60	-	0.3		36V	-	-	1.25									
<b>IDPV-45x-48 where x can be A or blank</b>																			
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	48V	-	-	0.75	Class 2	Damp	-	-	-	-	+	-	-
		-	-	-	-		-	-	-										
		200-277Vac	50/60	-	0.3		48V	-	-	0.94									
<b>IDPV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																			
	-	-	-	-	-	Isolated Circuit	-	-	-	-		-	-	-	-	-	+	-	-
<b>LCM-25X where X may be blank or DA</b>																			
	Terminal block-factory wiring	277Vac	50/60	-	-	Non-isolated	59Vdc	-	-	-		Wet	-	-	-	-	+	-	-

		200-240Vac	50/60	-	-		24-54Vdc	-	-	-									
<b>LCM-40Y where Y may be blank, DA, U or UDA</b>																			
	Terminal block-factory wiring	200-240Vac	50/60	-	0.27	Non-isolated	40-100Vdc	-	42	1.05-0.35	CC, Isolated	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.20		40-100Vdc	-	42	1.05-0.35									
<b>LCM-60Y where Y may be blank, DA, U or UDA</b>																			
	Terminal block-factory wiring	200-240Vac	50/60	-	0.37	Non-isolated	42-90Vdc	-	63	1.4-0.5	CC, Isolated	Wet	-	-	-	-	+	-	-
		277Vac	50/60	-	0.27		42-90V	-	63	1.4-0.5									
<b>LDC-35x where x may be blank, B or DA.</b>																			
	-	200-240Vac	50/60	-	0.2	Non-isolated	27-56V Max 60Vdc	-	35	0.3-1.0A	Class 2	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.16		27-56V Max 60Vdc	-	35	0.3-1.0A									
<b>LDC-55x where x may be blank, B or DA.</b>																			
	-	200-240Vac	50/60	-	0.35	Non-isolated	27-56V Max 60Vdc	-	55	0.5-1.6A	Class 2	Damp	-	-	-	-	+	a	a
		277Vac	50/60	-	0.25		27-56V Max 60Vdc	-	55	0.5-1.6A									
<b>LDC-80x where x may be blank, B or DA, no safety related.</b>																			
	-	200-240Vac	50/60	-	0.48	Non-isolated	27-56 Max.60Vdc	-	80	0.7-2.1	Class 2	Damp	-	-	-	-	+	-	-
		277Vac	50/60	-	0.36		27-56 Max.60Vdc	-	80	0.7-2.1									

LPF-60-24LU	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	a	a
<b>LPF-90X-15 where X can be D or blank</b>																						
	Jacketed cable	100-240Vac	50/60	-	0.95	Non-isolated	15Vdc	-	75	5		CC, Class 2	Wet	Yes	-	-	-	-	+	-	-	
		277Vac	50/60	-	0.4		15Vdc	-	75	5												
<b>LPF-90X-20 where X can be D or blank</b>																						
	Jacketed cable	100-240Vac	50/60	-	0.95	Non-isolated	20Vdc	-	90	4.5		CC, Class 2	Wet	Yes	-	-	-	-	+	-	-	
		277Vac	50/60	-	0.4		20Vdc	-	90	4.5												
<b>LPF-90X-24 where X can be D or blank</b>																						
	Jacketed cable	100-240Vac	50/60	-	0.95	Non-isolated	24Vdc	-	90	3.75		CC, Class 2	Wet	Yes	-	-	-	-	+	-	-	
		277Vac	50/60	-	0.4		24Vdc	-	90	3.75												
<b>LPF-90X-30 where X can be D or blank</b>																						
	Jacketed cable	100-240Vac	50/60	-	0.95	Non-isolated	30Vdc	-	90	3.0		CC, Class 2	Wet	Yes	-	-	-	-	+	-	-	
		277Vac	50/60	-	0.4		30Vdc	-	90	3.0												
<b>LPF-90X-36 where X can be D or blank</b>																						
	Jacketed cable	100-240Vac	50/60	-	0.95	Non-isolated	36Vdc	-	90	2.5		CC, Class 2	Wet	Yes	-	-	-	-	+	-	-	
		277Vac	50/60	-	0.4		36Vdc	-	90	2.5												
<b>LPF-90X-42 where X can be D or blank</b>																						
	Jacketed cable	100-240Vac	50/60	-	0.95	Non-isolated	42Vdc	-	90	2.15		CC, Class 2	Wet	Yes	-	-	-	-	+	-	-	
		277Vac	50/60	-	0.4		42Vdc	-	90	2.15												
<b>LPF-90X-48 where X can be D or blank</b>																						

	Jacketed cable	100-240Vac	50/60	-	0.95	Non-isolated	48Vdc	-	90	1.88	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.4		48Vdc	-	90	1.88									
<b>LPF-90X-54 where X can be D or blank</b>																			
	Jacketed cable	100-240Vac	50/60	-	0.95	Non-isolated	54Vdc	-	90	1.67	CC, Class 2	Wet	Yes	-	-	-	+	-	-
		277Vac	-	-	0.4		54Vdc	-	90	1.67									
<b>LPF-XY-ZQ where X may be 40 or 60, Y may be blank or D; Q may be blank or LU; and Z may be 12, 15, 20, 24, 30, 36, and 42, 48 and 54.</b>																			
	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60-12</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60-15</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60-24</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60-36</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60-42</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60-48</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60-54</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60D-12</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-
<b>LPFH-60D-15</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-	-	-	-	-	+	-	-

<b>LPFH-60D-36</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
<b>LPFH-60D-42</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
<b>LPFH-60D-48</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
<b>LPFH-60D-54</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	+	-	-
<b>LPV-100-12</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	12Vdc	-	100	8.5	CC, Isolated	Damp	-	-	-	-	+	-	-	
<b>LPV-100-15</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	15Vdc	-	100	6.7	CC, Isolated	Damp	-	-	-	-	+	-	-	
<b>LPV-100-24</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	24Vdc	-	100	4.2	CC, Isolated	Damp	-	-	-	-	+	-	-	
<b>LPV-100-36</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	36Vdc	-	100	2.8	CC, Isolated	Damp	-	-	-	-	+	-	-	
<b>LPV-100-48</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	48Vdc	-	100	2.1	CC, Isolated	Damp	-	-	-	-	+	-	-	
<b>LPV-100-5</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	5Vdc	-	60	12	CC, Isolated	Damp	-	-	-	-	+	-	-	
<b>LPVL-150-12</b>	Leads	100-120Vac	50/60	-	3.0	Non-isolated	12Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-	
<b>LPVL-150-24</b>	Leads	100-120Vac	50/60	-	-	-	24Vdc	-	-	-		Wet	Yes	-	-	-	+	-	-	
<b>NPF-120X-12W X may be blank or D, and W may be blank or BE</b>																				
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	12Vdc	-	120	10	CC, Isolated	Wet	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.55		12Vdc	-	120	10										
<b>NPF-120X-15W X may be blank or D, and W may be blank or BE</b>																				

	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	15Vdc	-	120	8	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		15Vdc	-	120	8									
<b>NPF-120X-20W X may be blank or D, and W may be blank or BE</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	20Vdc	-	120	6	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		20Vdc	-	120	6									
<b>NPF-120X-24W X may be blank or D, and W may be blank or BE</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	24Vdc	-	120	5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		24Vdc	-	120	5									
<b>NPF-120X-30W X may be blank or D, and W may be blank or BE</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	30Vdc	-	120	4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		30Vdc	-	120	4									
<b>NPF-120X-36W X may be blank or D, and W may be blank or BE</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	36Vdc	-	120	3.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		36Vdc	-	120	3.4									
<b>NPF-120X-42W X may be blank or D, and W may be blank or BE</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	42Vdc	-	120	2.9	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		42Vdc	-	120	2.9									
<b>NPF-120X-48W X may be blank or D, and W may be blank or BE</b>																			
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	48Vdc	-	120	2.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-



		277Vac	50/60	-	0.55		48Vdc	-	120	2.5										
<b>NPF-120X-54W X may be blank or D, and W may be blank or BE</b>																				
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	54Vdc	-	125	2.3	CC, Isolated	Wet	Yes	-	-	-	+	-	-	
		277Vac	50/60	-	0.55		54Vdc	-	125	2.3										
<b>ODLV-45-48 where x can be A or blank</b>																				
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	48V	-	-	0.75	Class 2	Damp	Yes	-	-	-	+	-	-	
		-	-	-	-		-	-	-	-										
		200-277Vac	50/60	-	0.3		48V	-	-	0.94										
<b>ODLV-45x-12 where x can be A or blank</b>																				
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	12V	-	-	3.0	Class 2	Damp	Yes	-	-	-	+	-	-	
		-	-	-	-		-	-	-	-										
		277Vac	50/60	-	0.3		12V	-	-	3.0										
<b>ODLV-45x-24 where x can be A or blank</b>																				
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	24V	-	-	1.5	Class 2	Damp	Yes	-	-	-	+	-	-	
		-	-	-	-		-	-	-	-										
		200-277Vac	50/60	-	0.3		24V	-	-	1.88										
<b>ODLV-45x-36 where x can be A or blank</b>																				
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	36V	-	-	1.0	Class 2	Damp	Yes	-	-	-	+	-	-	
		-	-	-	-		-	-	-	-										
		200-277Vac	50/60	-	0.3		36V	-	-	1.25										
<b>ODLV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.</b>																				
	-	-	50/60	-	-	Isolated Circuit	-	-	-	-		-	-	-	-	-	+	-	-	

<b>PWM-120-12</b>	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	12Vdc	-	120	10	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		12Vdc	-	120	10									
<b>PWM-120-24</b>	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	24Vdc	-	120	5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		24Vdc	-	120	5									
<b>PWM-120-36</b>	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	36Vdc	-	122.4	3.4	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		36Vdc	-	122.4	3.4									
<b>PWM-120-48</b>	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	48Vdc	-	120	2.5	CC, Isolated	Wet	Yes	-	-	-	+	-	-
		277Vac	50/60	-	0.55		48Vdc	-	120	2.5									
<b>XLG-25-Y where Y may be A or AB.</b>																			
	-	100-240Vac	50/60	-	0.31	Isolated Circuit	22-54Vdc	-	25	1A	Isolated	Wet	Yes	-	-	-	+	85	a
		277Vac	50/60	-	.12		.57Vdc	-	25	1A									
<b>XLG-50-Y where Y may be A or AB.</b>																			
	-	100-240Vac	50/60	-	0.62	Isolated Circuit	22-54Vdc	-	50	2.1A	Isolated	Wet	Yes	-	-	-	+	90	a
		277Vac	50/60	-	0.21		.57Vdc	-	50	2.1A									

[a] Identifies if the product itself has isolation between input and output based on the requirements of the standard. Output type (Non-isolated, Isolated, Class 2, LED Class 2) is designated based on the requirements that have been applied.

Wired Control Circuit: a = This device does not have a wired control circuit, b = This device has a wired control circuit that is isolated per Supplement SF, c = This device has a wired control circuit that is nonisolated per Supplement SF, + = Not evaluated


Phase-cut Dimming: a = This device has not been evaluated per Supplement SH, b = This device has been evaluated per Supplement SH, c = This device has been evaluated per Supplement SH for use with specific dimmer models - see UL Report.

(%) - Where Z can be blank, A, B or AB.

(a) - Where X may be 24, 36, 48 or 54 and Y may be A, B, AB, E or blank.

\* - Where Z can be blank, A or B.

+ - Where Z can be blank, A, B or C.

Marking: Company name, model designation, and the Recognized Component Mark,  .

Last Updated on 2018-12-26

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"

UL Product iQ™



# FKSZ8.E334687 - DRIVERS FOR LIGHT-EMITTING-DIODE ARRAYS, MODULES AND CONTROLLERS CERTIFIED FOR CANADA - COMPONENT

## Drivers for Light-emitting-diode Arrays, Modules and Controllers Certified for Canada - Component

See General Information for Drivers for Light-emitting-diode Arrays, Modules and Controllers Certified for Canada - Component

### MEAN WELL ENTERPRISES CO LTD

E334687

NO 28 WUQUAN 3RD RD

WUGU DISTRICT

NEW TAIPEI CITY, 24891 TAIWAN

**Isolated Class 2 LED Power Supplies**, Model(s) LPF-xy-zw series, where x may be 16 or 25; y may be Blank or D; z may be 12, 15, 20, 24, 30, 36, 42, 48 or 54 and w may be P or blank.

**Isolated Class 2 LED Power Supplies**, Model(s) PCD-25-yz, where y can be 1050, 1400 and z may be A or B.

**Isolated Class 2 LED Power Supplies**, Model(s) PLD-16-yz, where y can be 700, 1050, 1400 and z may be A or B.

**Isolated Class 2 LED Power Supplies**, Model(s) PLD-25-y, where y can be 1050 or 1400.

**Isolated Class 2 LED Power Supplies**, Model(s) PLP-X-Y, where X can be 30, 45 or 60 and Y can be 12 or 24.

**Isolated Class 2 output, LED Drivers**, Model(s) PLM-25-1050, PLM-25-700

**LED Driver, Isolated Class 2 output**, Model(s) LVF-40-36LP

**LED Drivers other than Class 2, "HLG-120H-CXY Series"**, Model(s) HLG-120H-CXY, where X may be 350, 500, 700, 1050 or 1400 and Y can be A, B, AB or D

**LED Drivers other than Class 2, "HLG-185H-CXY Series"**, Model(s) HLG-185H-CXY, where X may be 500, 700, 1050 or 1400 and Y can be A, B, AB or D.

**LED Drivers other than Class 2**, Model(s) LPV-150-Y Series, where Y can be 12, 15, 24, 36 or 48 for output voltage.

**LED Drivers Other Than Class 2 with isolated output**, Model(s) HBG-240-XY and HBG-240P-xy, Where X may be 24, 36, 48 or 60 and Y may be A, B, AB or blank.

**LED Drivers Other Than Class 2 with isolated output**, Model(s) HLG-240H-C1050ACRE

**LED drivers, Class 2 isolated output**, Model(s) PLM-12-X, where X may be 350, 500, 700 or 1050., PLM-25-Y, where Y may be 500, 700 or 1050.

**LED drivers, Class 2 isolated output with glue**, Model(s) CLG-100-12, CLG-100-15, CLG-100-20, CLG-100-24, CLG-100-24DLU, CLG-100-24LU, CLG-100-27, CLG-100-36

**LED drivers, Class 2 isolated output with potting compound**, Model(s) CLG-60-12, CLG-60-15, CLG-60-20, CLG-60-24, CLG-60-27, CLG-60-36, PLM-25-500

**LED drivers, Class 2 isolated output without glue**, Model(s) CLN-100-12, CLN-100-15, CLN-100-20, CLN-100-24, CLN-100-27, CLN-100-36, PLN-100-12, PLN-100-15, PLN-100-20, PLN-100-24, PLN-100-27, PLN-100-36

**LED drivers, Class 2 isolated output without potting compound**, Model(s) CLN-60-12, CLN-60-15, CLN-60-20, CLN-60-24, CLN-60-27, CLN-60-36, PLN-45-12, PLN-45-12TE, PLN-45-15, PLN-45-20, PLN-45-24, PLN-45-27, PLN-45-36, PLN-60-12, PLN-60-12TE, PLN-60-15, PLN-60-20, PLN-60-24, PLN-60-27, PLN-60-36

**LED Drivers, Isolated Class 2 LED Power Supplies**, Model(s) NPF-90D-54VA12, NPF-90D-54VA15, NPF-90D-54VA16

**LED Drivers, Isolated Class 2 LED Power Supplies**, Model(s) NPF-90X-Y, where X may be blank or D, Y may be 20, 24, 30, 36, 42, 48, 54, 54VA12, 54VA15 or 54VA16 ; PWM-90-Z, where Z may be 24, 36 or 48.

**LED Drivers, Isolated output**, Model(s) ELG-240-C1750y

**LED drivers, other than Class 2**, Model(s) HLG-120H-12Z(%), HLG-120H-15Z(%).

**LED drivers, other than Class 2**, Model(s) HLG-60H-CXY, where X may be 350 or 700 and Y can be A, B, AB or D.

**LED Drivers, Other than Class 2 with isolated output**, Model(s) NPF-90X-Y, where X may be blank or D, and Y may be 12 or 15.

**LED Drivers, Other than Class 2 with isolated output**, Model(s) PLM-40-X, where X may be 350, 500 or 700., PWM-90-12

**LED drivers, other than Class 2, Isolated output**, Model(s) HLG-150H-12Z(%), HLG-240H-30Z\*.

**LED drivers, other than Class 2, Isolated output**, Model(s) HLG-320H-YZ, where Y = 12, 15, 20, 24, 30, 36, 42, 48 or 54 and Z = A, B, C, D or blank

**LED Drivers, with isolated output (LVLE)**, Model(s) PLM-25-350, PLM-40-X, where X may be 1050, 1400 or 1750.

**LED drives other than Class 2**, Model(s) CLG-150-12, CLG-150-12A, CLG-150-12B, CLG-150-12C, CLG-150-15, CLG-150-15A, CLG-150-15B, CLG-150-15C, CLG-150-20, CLG-150-20A, CLG-150-20B, CLG-150-20C, CLG-150-24, CLG-150-24A, CLG-150-24B, CLG-150-24C, CLG-150-30, CLG-150-30A, CLG-150-30B, CLG-150-30C, CLG-150-36, CLG-150-36A, CLG-150-36B, CLG-150-36C, CLG-150-48, CLG-150-48A, CLG-150-48B, CLG-150-48C

**LED power supplies, Class 2 isolated, "CEN-60-Y Series"**, Model(s) CEN-60-12, CEN-60-15, CEN-60-20, CEN-60-24, CEN-60-30, CEN-60-36, CEN-60-42, CEN-60-48, CEN-60-54

**LED power supplies, Class 2 isolated, "CEN-75-Y Series"**, Model(s) CEN-75-15, CEN-75-20, CEN-75-24, CEN-75-30, CEN-75-36, CEN-75-42, CEN-75-48, CEN-75-54

**LED power supplies, Class 2 isolated**, Model(s) APC-12-700, APC-16-350, APC-16-350RA1, APC-16-700

**LED power supplies, Class 2 isolated**, Model(s) APV-y-z, where y may be 12 or 16 and z can be 5, 12, 15 or 24.

**LED power supplies, Class 2 isolated**, Model(s) CEN-100-20, CEN-100-24, CEN-100-30, CEN-100-36, CEN-100-42, LPF-60-30LU

**LED power supplies, Class 2 isolated with enclosure**, Model(s) PLN-20-12, PLN-20-18, PLN-20-24, PLN-20-36, PLN-20-48

**LED power supplies, Class 2 isolated without enclosure**, Model(s) PLP-20-12, PLP-20-18, PLP-20-24, PLP-20-36, PLP-20-48

Model(s) APC-12-350, HBG-100-48YP (a), HBG-100-54Y (a), HBG-100-54YP (a), HLG-80H-C350A, HLG-80H-C350AB, HLG-80H-C350B, HLG-80H-C350D, HLG-80H-C700A, HLG-80H-C700AB, HLG-80H-C700B, HLG-80H-C700D, LPFH-60D-24

Model. No.	Supply Conn. Method	Input					Output					Env. Loc.
		Volts (V)	Freq (Hz)	Power (W)	Amps (A)	Type	Volts (V)	Freq (Hz)	Power (W)	Amps (A)	Type <sup>[a]</sup>	
<b>"ELG-100U-xy"</b>												
<b>ELG-100U-24y</b>	Leads	100-240Vac	50/60	-	1.4	Isolated Circuit	24Vdc	-	-	4.0	Class 2	Wet
<b>ELG-100U-36y</b>	Leads	100-240Vac	50/60	-	1.4	Isolated Circuit	36Vdc	-	-	2.66	Class 2	Wet
<b>ELG-100U-42y</b>	Leads	100-240Vac	50/60	-	1.4	Isolated Circuit	42Vdc	-	-	2.28	Class 2	Wet
<b>ELG-100U-48y</b>	Leads	100-240Vac	50/60	-	1.4	Isolated Circuit	48Vdc	-	-	2.20	Class 2	Wet
<b>"HBG-60-XY Series"</b>												
<b>HBG-60-1050, HBG-60-1050P where X can be 1050, 1400 or 2100 and where Y can be blank or P</b>												
	Leads	100-240Vac	50/60	-	0.7	Non-isolated	37-55Vdc	-	-	1.05	LED Class 2	Damp
<b>HBG-60-1050, HBG-60-1050P.</b>												
	Leads	277Vac	50/60	-	0.3	Non-isolated	37-55Vdc	-	-	1.05		Damp
<b>HBG-60-1400, HBG-60-1400P where X can be 1050, 1400 or 2100 and where Y can be blank or P.</b>												
	Leads	100-240Vac	50/60	-	0.7	Non-isolated	28-43Vdc	-	-	1.4	LED Class 2	Damp
<b>HBG-60-1400, HBG-60-1400P.</b>												

	Leads	277Vac	50/60	-	0.3	Non-isolated	28-43Vdc	-	-	1.4		Damp
<b>HBG-60-2100, HBG-60-2100P where X can be 1050, 1400 or 2100 and where Y can be blank or P.</b>												
	Leads	100-240Vac	50/60	-	0.7	Non-isolated	19-29Vdc	-	-	2.1	Class 2	Damp
<b>HBG-60-2100, HBG-60-2100P.</b>												
	Leads	277Vac	50/60	-	0.3	Non-isolated	19-29Vdc	-	-	2.1		Damp
<b>"HLG-100-YZ Series"</b>												
<b>HLG-100-20Z*</b>	Jacketed cable	100-240Vac	50/60	288	-	Non-isolated	20Vdc	-	-	-	LED Class 2	Wet
<b>HLG-100-24Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-	LED Class 2	Wet
<b>HLG-100-30Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-	LED Class 2	Wet
<b>HLG-100-36Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-	LED Class 2	Wet
<b>HLG-100-42Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-	LED Class 2	Wet
<b>HLG-100-48Z* Where Z can be blank, A or B</b>												
	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-	Class 2	Wet
<b>HLG-100-54Z* Where Z can be blank, A or B.</b>												
	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-	Class 2	Wet
<b>"HLG-100H-YZ Series"</b>												

<b>HLG-100H-20Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.2	Non-isolated	20Vdc	-	-	4.8	LED Class 2	Wet
		277Vac	50/60	-	0.5		20Vdc	-	-	4.8		
<b>HLG-100H-24Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-	LED Class 2	Wet
		277Vac	50/60	-	-		24Vdc	-	-	-		
<b>HLG-100H-30Z(%)</b>	Jacketed cable	100-240Vac	-	-	1.2	Non-isolated	30Vdc	-	-	3.2	LED Class 2	Wet
		277Vac	-	-	0.5		30Vdc	-	-	3.2		
<b>HLG-100H-36Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.2	Non-isolated	36Vdc	-	-	2.65	LED Class 2	Wet
		277Vac	50/60	-	0.5		36Vdc	-	-	2.65		
<b>HLG-100H-42Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.2	Non-isolated	42Vdc	-	-	2.28	LED Class 2	Wet
		277Vac	50/60	-	0.5		42V	-	-	2.28		
<b>HLG-100H-48Z(%) Where Z can be blank, A or B.</b>												
	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-	Isolated	Wet
		277Vac	50/60	-	-		48Vdc	-	-	-		
<b>HLG-100H-54Z (%)</b>	Other	277Vac	50/60	-	-	-	54Vdc	-	-	-		Wet
<b>HLG-100H-54Z(%) HLG-100H-54</b>												
	Jacketed cable	100-240Vac	50/60	-	-	Isolated Circuit	54Vdc	-	-	-	Class 2	Wet



		277Vac	50/60	-	-		54Vdc	-	-	-		
<b>"HLG-120-XZ Series"</b>												
<b>HLG-120-12Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet
<b>HLG-120-15Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet
<b>HLG-120-20Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet
<b>HLG-120-24Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet
<b>HLG-120-30Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet
<b>HLG-120-36Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet
<b>HLG-120-42Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet
<b>HLG-120-48Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet
<b>HLG-120-54Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet
<b>"HLG-120H-XZ Series"</b>												
<b>HLG-120H-12Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet
<b>HLG-120H-15Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet

<b>HLG-120H-20Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet
		277Vac	50/60	-	-		20Vdc	-	-	-		
<b>HLG-120H-24Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet
		277Vac	50/60	-	-		24Vdc	-	-	-		
<b>HLG-120H-30Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet
		277Vac	50/60	-	-		30Vdc	-	-	-		
<b>HLG-120H-36Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet
		277Vac	50/60	-	-		36Vdc	-	-	-		
<b>HLG-120H-42Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet
		277Vac	50/60	-	-		42Vdc	-	-	-		
<b>HLG-120H-48Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet
		277Vac	50/60	-	-		48Vdc	-	-	-		
<b>HLG-120H-54Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.4	Non-isolated	54Vdc	-	124	2.3		Wet
		277Vac	50/60	-	0.55		54V	-	-	2.3		
<b>"HLG-150-YZ Series"</b>												
<b>HLG-150-12Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet

<b>HLG-150-15Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	15Vdc	-	-	10		Wet
<b>HLG-150-20Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	20Vdc	-	-	7.5		Wet
<b>HLG-150-24Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	24Vdc	-	150	6.3	CC, Isolated	Wet
<b>HLG-150-30Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet
<b>HLG-150-36Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet
<b>HLG-150-42Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	42Vdc	-	-	3.6		Wet
<b>HLG-150-48Z*</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	48Vdc	-	-	3.2		Wet
<b>HLG-150-54Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet
		277Vac	50/60	-	-		54Vdc	-	-	-		
<b>"HLG-150H-YZ Series"</b>												
<b>HLG-150H-12Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet
<b>HLG-150H-15Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet
		277Vac	50/60	-	-		15Vdc	-	-	-		
<b>HLG-150H-20Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet

<b>HLG-150H-24Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	24Vdc	-	150	6.3	CC, Isolated	Wet
		277Vac	50/60	-	0.7		24Vdc	-	150	6.3		
<b>HLG-150H-30Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet
<b>HLG-150H-36Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet
		277Vac	50/60	-	-		36Vdc	-	-	-		
<b>HLG-150H-42Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet
		277Vac	50/60	-	-		42Vdc	-	-	-		
<b>HLG-150H-48Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet
		277Vac	50/60	-	-		48Vdc	-	-	-		
<b>HLG-150H-54Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	54Vdc	-	-	2.8		Wet
		277Vac	50/60	-	0.7		54Vdc	-	-	2.8		
<b>"HLG-185-YZ Series"</b>												
<b>HLG-185-12Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet
<b>HLG-185-15Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet
<b>HLG-185-20Z*</b>	Jacketed cable	100-240Vac	50/60	-	2.1	Non-isolated	20Vdc	-	-	9.3		Wet

<b>HLG-185-24Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet
<b>HLG-185-30Z*</b>	Jacketed cable	100-240Vac	50/60	-	2.1	Non-isolated	30Vdc	-	-	6.2		Wet
<b>HLG-185-36Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet
<b>HLG-185-42Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet
<b>HLG-185-48Z*</b>	Jacketed cable	100-240Vac	50/60	-	2.1	Non-isolated	48Vdc	-	-	3.9		Wet
<b>HLG-185-54Z*</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet
<b>"HLG-185H-YZ Series"</b>												
<b>HLG-185H-12Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	2.1	Non-isolated	12Vdc	-	-	13		Wet
		277Vac	50/60	-	0.8		12Vdc	-	-	13		
<b>HLG-185H-15Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet
		277Vac	50/60	-	-		15Vdc	-	-	-		
<b>HLG-185H-20Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet
		277Vac	50/60	-	-		20Vdc	-	-	-		
<b>HLG-185H-24Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet
		277Vac	50/60	-	-		24Vdc	-	-	-		

<b>HLG-185H-30Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet
		277Vac	50/60	-	-		30Vdc	-	-	-		
<b>HLG-185H-36Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet
		277Vac	50/60	-	-		36Vdc	-	-	-		
<b>HLG-185H-42Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet
		277Vac	50/60	-	-		42Vdc	-	-	-		
<b>HLG-185H-48Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet
		277Vac	50/60	-	-		48Vdc	-	-	-		
<b>HLG-185H-54Z(%)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet
		277Vac	50/60	-	-		54Vdc	-	-	-		
<b>"HLG-480H-xy"</b>												
<b>HLG-480H-24y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	24Vdc	-	-	20	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-	-		
<b>HLG-480H-30y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	30Vdc	-	-	16	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-	-		

<b>HLG-480H-36y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	36Vdc	-	-	13.3	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>HLG-480H-42y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	42Vdc	-	-	11.4	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>HLG-480H-48y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	48Vdc	-	-	10	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>HLG-480H-54y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	54Vdc	-	-	8.9	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>"HLGP-480H-30y"</b>												
<b>HLGP-480H-30y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	30Vdc	-	-	16	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>"HLGP-480H-xy"</b>												
<b>HLGP-480H-24y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	24Vdc	-	-	20	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			

<b>HLGP-480H-36y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	36Vdc	-	-	13.3	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>HLGP-480H-42y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	42Vdc	-	-	11.4	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>HLGP-480H-48y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	48Vdc	-	-	10	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>HLGP-480H-54y where - x may be 24, 30, 36, 42, 48 or 54; y may be blank, A, B, AB, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	54Vdc	-	-	8.9	Isolated	Wet
		277Vac	50/60	-	2.0		-	-	-			
<b>"IDLC-25x-y"</b>												
<b>IDLC-25(A)-1050 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	16.8-24 Max.36Vdc	-	-	1050mA		Damp
		277Vac	50/60	-	0.13		16.8-24 Max.36Vdc	-	-	1050mA		
<b>IDLC-25(A)-350 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	49-70 Max.100Vdc	-	-	350mA		Damp



		277Vac	50/60	-	0.13		49-70 Max.100Vdc	-	-	350mA		
<b>IDLC-25(A)-500 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	35-50 Max.75Vdc	-	-	500mA		Damp
		277Vac	50/60	-	0.13		35-50 Max.75Vdc	-	-	500mA		
<b>IDLC-25(A)-700 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	25.2-36 Max.63Vdc	-	-	700mA		Damp
		277Vac	50/60	-	0.13		25.2-36 Max.63Vdc	-	-	700mA		
<b>"IDLC-45"</b>												
<b>IDLC-45X-1050 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		
<b>IDLC-45x-1050z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		

<b>IDLC-45X-1400 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		
<b>IDLC-45x-1400z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		
<b>IDLC-45x-350 x may be blank or A</b>												
	-	100-240Vac	50/60	-	0.6	Non-isolated	118 MaxVdc	-	-	0.35	CC, Isolated	Damp
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.35		
<b>IDLC-45x-350z x may be blank or A, z may be blank or DA</b>												
	-	100-240Vac	50/60	-	0.6	Non-isolated	118 MaxVdc	-	-	0.35	CC, Isolated	Damp
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.35		
<b>IDLC-45x-500 x may be blank or A</b>												
	-	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.50	CC, Isolated	Damp
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.50		
<b>IDLC-45x-500z x may be blank or A, z may be blank or DA</b>												

	-	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.50	CC, Isolated	Damp
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.50		
<b>IDLC-45X-700 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>IDLC-45x-700z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>"IDLC-65"</b>												
<b>IDLC-65x-1050z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	82 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		82 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		
<b>IDLC-65X-1400z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	60 MaxVdc	-	-	1.400	CC, Isolated	Damp

		277Vac	50/60	-	0.3		60 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		
<b>IDLC-65X-1750z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	53 MaxVdc	-	-	1.750	CC, Isolated	Damp
		277Vac	50/60	-	0.3		53 MaxVdc	-	-	1.750		
		-	-	-	-		-	-	-	-		
<b>IDLC-65x-700z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	118 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>"IDLV-45"</b>												
<b>IDLV-45x-60 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	60 MaxVdc	-	-	0.6	CC, Isolated	Damp
		277Vac	50/60	-	0.3		60MaxVdc	-	-	0.75		
		-	-	-	-		-	-	-	-		
<b>"IDPC-25x-y"</b>												
<b>IDPC-25(A)-1050 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	16.8-24 Max.36Vdc	-	-	1050mA		Damp

		277Vac	50/60	-	0.13		16.8-24 Max.36Vdc	-	-	1050mA		
<b>IDPC-25(A)-350 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	49-70 Max.100Vdc	-	-	350mA		Damp
		277Vac	50/60	-	0.13		49-70 Max.100Vdc	-	-	350mA		
<b>IDPC-25(A)-500 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	35-50 Max.75Vdc	-	-	500mA		Damp
		277Vac	50/60	-	0.13		35-50 Max.75Vdc	-	-	500mA		
<b>IDPC-25(A)-700 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	25.2-36 Max.63Vdc	-	-	700mA		Damp
		277Vac	50/60	-	0.13		25.2-36 Max.63Vdc	-	-	700mA		
<b>"IDPC-45"</b>												
<b>IDPC-45X-1050 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		
<b>IDPC-45x-1050z x may be blank or A, z may be blank or DA</b>												

	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		
<b>IDPC-45X-1400 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		
<b>IDPC-45x-1400z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		
<b>IDPC-45x-350z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>IDPC-45x-500z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.500	CC, Isolated	Damp
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.500		

		-	-	-	-		-	-	-			
<b>IDPC-45X-700 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>IDPC-45x-700z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>"IDPC-65"</b>												
<b>IDPC-65X-1050z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	82 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		82 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		
<b>IDPC-65X-1400z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	60 MaxVdc	-	-	1.400	CC, Isolated	Damp
		277Vac	50/60	-	0.3		60 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		

<b>IDPC-65X-1750z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	53 MaxVdc	-	-	1.750	CC, Isolated	Damp
		277Vac	50/60	-	0.3		53 MaxVdc	-	-	1.750		
		-	-	-	-		-	-	-	-		
<b>IDPC-65X-700z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	118 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>"IDPV-45"</b>												
<b>IDPV-45x-60 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	60 MaxVdc	-	-	0.6	CC, Isolated	Damp
		277Vac	50/60	-	0.3		60MaxVdc	-	-	0.75		
		-	-	-	-		-	-	-	-		
<b>"NPF/PWM-XY-Z Series"</b>												
<b>NPF/PWM-XY-Z , where X can be 40 or 60 and where Y can be blank or D and where Z can be 12, 15, 20, 24, 30, 36, 42, 48 or 54.</b>												
	-	-	-	-	-	-	-	-	-	-		-
<b>"ODLC-45"</b>												
<b>ODLC-45X-1050 x may be blank or A</b>												



	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		
<b>ODLC-45x-1050z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	63 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		63 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		
<b>ODLC-45X-1400 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		
<b>ODLC-45x-1400z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	50 MaxVdc	-	-	1.400	CC, Isolated	Damp
		277Vac	50/60	-	0.3		50 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		
<b>ODLC-45X-350 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	118 MaxVdc	-	-	0.350	CC, Isolated	Damp
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.350		

		-	-	-	-		-	-	-			
<b>ODLC-45x-350z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	118 MaxVdc	-	-	0.350	CC, Isolated	Damp
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.350		
		-	-	-	-		-	-	-	-		
<b>ODLC-45X-500 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.500	CC, Isolated	Damp
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.500		
		-	-	-	-		-	-	-	-		
<b>ODLC-45x-500z x may be blank or A, z may be blank or DA</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	115 MaxVdc	-	-	0.500	CC, Isolated	Damp
		277Vac	50/60	-	0.3		115 MaxVdc	-	-	0.500		
		-	-	-	-		-	-	-	-		
<b>ODLC-45X-700 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>ODLC-45x-700z x may be blank or A, z may be blank or DA</b>												

	Leads	100-240Vac	50/60	-	0.6	Non-isolated	84 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		84 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>"ODLC-65"</b>												
<b>ODLC-65X-1050z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	52 MaxVdc	-	-	1.050	CC, Isolated	Damp
		277Vac	50/60	-	0.3		52 MaxVdc	-	-	1.050		
		-	-	-	-		-	-	-	-		
<b>ODLC-65X-1400z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	60 MaxVdc	-	-	1.400	CC, Isolated	Damp
		277Vac	50/60	-	0.3		60 MaxVdc	-	-	1.400		
		-	-	-	-		-	-	-	-		
<b>ODLC-65X-1750z x may be blank or A, z may be blank or DA</b>												
	Leads	200-240Vac	50/60	-	0.4	Non-isolated	53 MaxVdc	-	-	1.750	CC, Isolated	Damp
		277Vac	50/60	-	0.3		53 MaxVdc	-	-	1.750		
		-	-	-	-		-	-	-	-		
<b>ODLC-65X-700z x may be blank or A, z may be blank or DA</b>												

	Leads	200-240Vac	50/60	-	0.4	Non-isolated	118 MaxVdc	-	-	0.70	CC, Isolated	Damp
		277Vac	50/60	-	0.3		118 MaxVdc	-	-	0.70		
		-	-	-	-		-	-	-	-		
<b>"ODLV-45"</b>												
<b>ODLV-45x-60 x may be blank or A</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	60 MaxVdc	-	-	0.6	CC, Isolated	Damp
		277Vac	50/60	-	0.3		60MaxVdc	-	-	0.75		
		-	-	-	-		-	-	-	-		
<b>AD2</b>	Jacketed Cable	277V	-	-	-	Non-isolated	179V	-	-	-		Wet
<b>APC-8-250</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	16-32Vdc	-	-	0.25	Isolated	Damp
<b>APC-8-350</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	11-23Vdc	-	-	0.35	Isolated	Damp
<b>APC-8-500</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	8-16Vdc	-	-	0.5	Isolated	Damp
<b>APC-8-700</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	6-11Vdc	-	-	2.0	Isolated	Damp
<b>APV-8-12</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	12Vdc	-	-	0.67	Isolated	Damp
<b>APV-8-24</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	24Vdc	-	-	0.34	Isolated	Damp
<b>APV-8-5</b>	Leads	100-240Vac	50/60	-	0.3	Non-isolated	5Vdc	-	-	1.4	Isolated	Damp
<b>APx-y-z Where x may be V or C, y may be 25 or 35 and z may be 5, 12, 15, 24, 36, 500, 700 or 1050.</b>												
	-	-	-	-	-	-	-	-	-	-		-

<b>ELG-100-24Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	24Vdc	-	96	4.0	Class 2	Wet
<b>ELG-100-36Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	36Vdc	-	96	2.66	Class 2	Wet
<b>ELG-100-42Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	42Vdc	-	96	2.28	Class 2	Wet
<b>ELG-100-48Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	48Vdc	-	96	2.0	Class 2	Wet
<b>ELG-100-54Y</b>	Leads	100-277Vac	50/60	100	1.1	Non-isolated	54Vdc	-	96	1.78	Class 2	Wet
<b>ELG-100-C1050Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>												
	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	48-95Vdc	-	100	1.05	CC, Isolated	Wet
		100-277Vac	50/60	-	1.1		48-95Vdc	-	100	1.05		
<b>ELG-100-C1400Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>												
	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	35-72Vdc	-	100	1.4	CC, Isolated	Wet
		100-277Vac	50/60	-	1.1		35-72Vdc	-	100	1.4		
<b>ELG-100-C350Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>												
	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	143-286Vdc	-	100	0.35	CC, Isolated	Wet
		100-277Vac	50/60	-	1.1		143-286Vdc	-	100	0.35		
<b>ELG-100-C500Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>												
	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	100-200Vdc	-	100	0.5	CC, Isolated	Wet
		100-277Vac	50/60	-	1.1		100-200Vdc	-	100	0.5		
<b>ELG-100-C700Y where Y can be blank, A, B, D, AB, AD2, ADA, D2 or DA</b>												

	Jacketed cable	200-277Vac	50/60	-	0.6	Non-isolated	71-143Vdc	-	100	0.7	CC, Isolated	Wet
		100-277Vac	50/60	-	1.1		71-143Vdc	-	100	0.7		
<b>ELG-150-12y</b>	Leads	200-277Vac	50/60	-	0.9	Non-isolated	12Vdc	-	120	10	CV, Isolated	Wet
		100-277Vac	50/60	-	1.7		12Vdc	-	-	10		
<b>ELG-150-15CL</b>	Leads	200-277Vac	50/60	-	0.9	Non-isolated	15Vdc	-	150	10	CV, Isolated	Wet
		100-277Vac	50/60	-	1.7		15Vdc	-	-	10		
<b>ELG-150-36y where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>												
	Leads	200-277Vac	50/60	-	0.9	Non-isolated	36Vdc	-	150	4.17	Isolated	Wet
		100-277Vac	50/60	-	1.7		36Vdc	-	-	4.17		
<b>ELG-150-42y where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>												
	Leads	200-277Vac	50/60	-	0.9	Non-isolated	42Vdc	-	150	3.57	Isolated	Wet
		100-277Vac	50/60	-	1.7		42Vdc	-	-	3.57		
<b>ELG-150-48y where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>												
	Leads	200-277Vac	50/60	-	0.9	Non-isolated	48Vdc	-	150	3.13	Isolated	Wet
		100-277Vac	50/60	-	1.7		48Vdc	-	-	3.13		
<b>ELG-150-54y where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>												
	Leads	100-277Vac	50/60	-	1.7	Non-isolated	54Vdc	-	152	2.8	Isolated	Wet
		200-277Vac	50/60	-	0.9		54V	-	-	2.8		
<b>ELG-150-C1050Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only</b>												

	Jacketed cable	100-277Vac	50/60	-	1.7	Non-isolated	72-143Vdc	-	150	1.05	CC, Isolated	Wet
<b>ELG-150-C1400Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only</b>												
	Jacketed cable	100-277Vac	50/60	-	1.7	Non-isolated	54-107Vdc	-	150	1.4	CC, Isolated	Wet
<b>ELG-150-C1750y where x can be 1750 or 2100, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2 and where z can be 12, 36, 42, 48 or 54.</b>												
	Leads	100-277Vac	50/60	-	1.7	Non-isolated	43-86Vdc	-	151	1.75	Isolated	Wet
		200-277Vac	50/60	-	0.9		43-86V	-	-	1.75		
<b>ELG-150-C2100y where x can be 1750 or 2100, where y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2 and where z can be 12, 36, 42, 48 or 54.</b>												
	Leads	100-277Vac	50/60	-	1.7	Non-isolated	36-72Vdc	-	152	2.1	Isolated	Wet
		200-277Vac	50/60	-	0.9		36-72V	-	-	2.1		
<b>ELG-150-C500Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only</b>												
	Jacketed cable	100-277Vac	50/60	-	1.7	Non-isolated	150-300Vdc	-	150	0.5	CC, Isolated	Wet
<b>ELG-150-C700Y Y may be blank, A, B, D, AB, AD2, ADA, D2. BE or DA for marketing purposes only</b>												
	Jacketed cable	100-277Vac	50/60	-	1.7	Non-isolated	107-214Vdc	-	150	0.7	CC, Isolated	Wet
<b>ELG-150-zy where z can be 24 and y can be blank, A, B, AB, D, D2, DA, ADA, BE or AD2</b>												
	Leads	200-277Vac	50/60	-	0.9	Non-isolated	24Vdc	-	150	6.25	LED Class 2	Wet
		100-277Vac	50/60	-	1.7		24Vdc	-	-	6.25		

<b>ELG-200-12y</b>	-	100-277Vac	50/60	-	1.8	Other	12V	-	-	-		Wet
<b>ELG-200-24y</b>	-	100-277Vac	50/60	-	1.8	Other	24V	-	-	-		Wet
<b>ELG-200-36y</b>	-	100-277Vac	50/60	-	1.8	Other	36V	-	-	-		Wet
<b>ELG-200-42y</b>	-	100-277Vac	50/60	-	1.8	Other	42V	-	-	-		Wet
<b>ELG-200-48y</b>	-	100-277Vac	50/60	-	1.8	Other	48V	-	-	-		Wet
<b>ELG-200-54y</b>	-	100-277Vac	50/60	-	1.8	Other	54V	-	-	-		Wet
<b>ELG-200-C1050y</b>	-	100-240Vac	50/60	-	1.8	Other	200Vdc	-	-	1.05	Isolated	Wet
<b>ELG-200-C1400y</b>	-	100-240Vac	50/60	-	1.8	Other	160Vdc	-	-	1.40	Isolated	Wet
<b>ELG-200-C1750y</b>	-	100-240Vac	50/60	-	1.8	Other	120Vdc	-	-	1.75	Isolated	Wet
<b>ELG-200-C2100y</b>	-	-	-	-	-	-	-	-	-	-		-
<b>ELG-200-C700y</b>	-	-	-	-	-	-	-	-	-	-		-
<b>ELG-240-24y</b>	-	100-277Vac	50/60	-	2.2	Other	24V	-	-	-		Wet
<b>ELG-240-36y</b>	-	100-277Vac	50/60	-	2.2	Other	36V	-	-	-		Wet
<b>ELG-240-42y</b>	-	100-277Vac	50/60	-	2.2	Other	42V	-	-	-		Wet
<b>ELG-240-48y</b>	-	100-277Vac	50/60	-	2.2	Other	48V	-	-	-		Wet
<b>ELG-240-54y</b>	-	100-277Vac	50/60	-	2.2	Other	54V	-	-	-		Wet
<b>ELG-240-C1050y</b>	-	100-240Vac	50/60	-	2.2	Other	239Vdc	-	-	1.05	Isolated	Wet
<b>ELG-240-C1400y</b>	-	100-240Vac	50/60	-	2.2	Other	180Vdc	-	-	1.40	Isolated	Wet
<b>ELG-240-C2100y</b>	-	100-240Vac	50/60	-	2.2	Other	106Vdc	-	-	2.10	Isolated	Wet
<b>ELG-240-C700y</b>	-	100-240Vac	50/60	-	2.2	Other	360Vdc	-	-	0.7	Isolated	Wet



<b>ELG-300-24Y Y may be blank or A</b>												
	-	100-240Vac	50/60	-	3.0	Non-isolated	14.4-24Vdc	-	255.12	10.63	Isolated	Wet
		277Vac	50/60	-	1.3		14.4-24Vdc	-	300	12.5		
<b>ELG-75-12y</b>	Leads	100-277Vac	50/60	-	0.7	Non-isolated	12Vdc	-	-	5	Class 2	Wet
<b>ELG-75-24y</b>	Leads	100-277V	50/60	-	0.7	Non-isolated	24Vdc	-	-	3.15	Class 2	Wet
<b>ELG-75-36y</b>	Leads	100-277Vac	50/60	-	0.7	Non-isolated	36Vdc	-	-	2.1	Class 2	Wet
<b>ELG-75-42y</b>	Leads	100-277Vac	50/60	-	0.7	Non-isolated	42Vdc	-	-	1.8	Class 2	Wet
<b>ELG-75-48y</b>	Leads	100-277Vac	50/60	-	0.7	Non-isolated	48Vdc	-	-	1.6	Class 2	Wet
<b>ELG-75-C1050y</b>	Jacketed cable	100-277Vac	50/60	-	0.70	Non-isolated	78Vdc	-	-	1.05	Isolated	Wet
<b>ELG-75-C1400y</b>	Jacketed cable	100-277Vac	50/60	-	0.70	Non-isolated	61Vdc	-	-	1.4	Isolated	Wet
<b>ELG-75-C350y</b>	Jacketed cable	100-277Vac	50/60	-	.0.70	Non-isolated	224Vdc	-	-	0.35	Isolated	Wet
<b>ELG-75-C500y</b>	Jacketed cable	100-277Vac	50/60	-	0.70	Non-isolated	158Vdc	-	-	0.5	Isolated	Wet
<b>ELG-75-C700y.</b>	Jacketed cable	100-277Vac	50/60	-	0.70	Non-isolated	114Vdc	-	-	0.7	Isolated	Wet
<b>ELGC-300-H-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2</b>												
	-	100-240Vac	50/60	-	3.0	Non-isolated	29-58Vdc	-	256.36	6.8		Wet
		277Vac	50/60	-	1.3		Max. 62V	-	301.6	8.0		
<b>ELGC-300-L-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2</b>												
	-	100-240Vac	50/60	-	3.0	Non-isolated	116-232Vdc	-	256.36	1.7		Wet

		277Vac	50/60	-	1.3		Max. 240Vdc	-	301.6	2.0		
<b>ELGC-300-M-Y Y may be blank, A, B, AB, DA, ADA, D2 or AD2</b>												
	-	100-240Vac	50/60	-	3.0	Non-isolated	58-116Vdc	-	256.36	3.4		Wet
		277Vac	50/60	-	1.3		Max. 120Vdc	-	301.6	4.0		
<b>HBG-100-60Y where Y may be A, B, AB, E, DA or blank</b>												
	Jacketed cable	277Vac	50/60	-	-	Non-isolated	62Vdc	-	-	-		Wet
<b>HBG-100-XP (a)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	25-62Vdc	-	-	-		Wet
		277Vac	50/60	-	-		25-62Vdc	-	-	-		
<b>HBG-100-XY (a)</b>	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	25-62Vdc	-	-	-		Wet
		277Vac	50/60	-	-		25-62Vdc	-	-	-		
<b>HBG-100P-36y, Y=A or B Where Y may be A, DA or B.</b>												
	-	100-240Vac	50/60	-	1.1	Other	-	-	37	2.7		Damp
<b>HBG-100P-48y, Y=A or B Where Y may be A, DA or B</b>												
	-	100-240Vac	50/60	-	1.1	Other	-	-	49	2.0		Damp
<b>HBG-100P-60Y where Y may be A, B, AB, E, DA or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	-	Non-isolated	62Vdc	-	-	-		Wet
<b>HBG-100P-60y, Y=A or B Where Y may be A, DA or B</b>												
	-	100-240Vac	50/60	-	1.1	Other	-	-	62	1.6		Damp

<b>HBG-160-24Y where Y may be A, B, AB, E DA or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	24Vdc	-	156	6.5	CC, Isolated	Wet
		277Vac	50/60	-	0.7		24Vdc	-	156	6.5		
<b>HBG-160-36Y where Y may be A, B, AB, E, DA or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	36Vdc	-	158.4	4.4	CC, Isolated	Wet
		277Vac	50/60	-	0.7		36Vdc	-	158.4	4.4		
<b>HBG-160-48Y where Y may be A, B, AB, E, DA or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	48Vdc	-	158.4	3.3	CC, Isolated	Wet
		277Vac	50/60	-	0.7		48Vdc	-	158.4	3.3		
<b>HBG-160-60Y where Y may be A, B, AB, E, DA or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	1.7	Non-isolated	60Vdc	-	156	2.6	CC, Isolated	Wet
		277Vac	50/60	-	0.7		60Vdc	-	156	2.6		
<b>HBG-160P-36Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA</b>												
	-	100-240Vac	50/60	-	1.7	Other	24-60V	-	158	4.4		Damp
<b>HBG-160P-48Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA</b>												
	-	100-240Vac	50/60	-	1.7	Other	24-60V	-	158	3.3		Damp
<b>HBG-160P-60Y, Y=A or B where X may be 36, 48 or 60 and Y may be A, B or DA</b>												
	-	100-240Vac	50/60	-	1.7	Other	24-60V	-	156	2.6		Damp

<b>HBG-200-36Y where Y may be A, B, AB, E DA or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	1.9	Non-isolated	24Vdc	-	158.4	4.4	CC, Isolated	Wet
		277Vac	50/60	-	0.9		24Vdc	-	198	5.5		
<b>HBG-200-48Y where Y may be A, B, AB, E DA or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	1.9	Non-isolated	24Vdc	-	158.4	3.3	CC, Isolated	Wet
		277Vac	50/60	-	0.9		24Vdc	-	196.8	4.1		
<b>HBG-200-60Y where Y may be A, B, AB, E DA or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	1.9	Non-isolated	24Vdc	-	156	2.6	CC, Isolated	Wet
		277Vac	50/60	-	0.9		24Vdc	-	198	3.3		
<b>HBG-240P-36y, Y=A or B</b>	-	100-240Vac	50/60	-	2.5	Other	-	-	37	6.7		Damp
<b>HBG-240P-48y, Y=A or B</b>	-	-	-	-	-	-	-	-	-	-		-
<b>HBG-240P-60y, Y=A or B</b>	-	-	-	-	-	-	-	-	-	-		-
<b>HBGC-300-H-Y Y may be blank or A, B, AB, DA or ADA</b>												
	-	100-240Vac	50/60	-	3.6	Non-isolated	29-58Vdc	-	301.6	8.67	Isolated	Wet
		277Vac	50/60	-	1.4		Max.62Vdc	-	301.6	8.67		
<b>HBGC-300-L-Y Y may be blank or A, B, AB, DA or ADA</b>												
	-	100-240Vac	50/60	-	3.6	Non-isolated	116-232Vdc	-	301.6	2.17	Isolated	Wet

		277Vac	50/60	-	1.4		Max. 240Vdc	-	301.6	2.17		
<b>HBGC-300-M-Y Y may be blank or A, B, AB, DA or ADA</b>												
	-	100-240Vac	50/60	-	3.6	Non-isolated	58-116Vdc	-	301.6	4.33	Isolated	Wet
		277Vac	50/60	-	1.4		Max. 120Vdc	-	301.6	4.33		
<b>HLG-240-12Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet
		277Vac	50/60	-	-		12Vdc	-	-	-		
<b>HLG-240-15Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet
		277Vac	50/60	-	-		15Vdc	-	-	-		
<b>HLG-240-20Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet
<b>HLG-240-24Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet
		277Vac	50/60	-	-		24Vdc	-	-	-		
<b>HLG-240-30Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet

		277Vac	50/60	-	-		30Vdc	-	-	-		
<b>HLG-240-36Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet
		277Vac	50/60	-	-		36Vdc	-	-	-		
<b>HLG-240-42Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet
		277Vac	50/60	-	-		42Vdc	-	-	-		
<b>HLG-240-48Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet
		277Vac	50/60	-	-		48Vdc	-	-	-		
<b>HLG-240-54Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet
		277Vac	50/60	-	-		54Vdc	-	-	-		
<b>HLG-240H-12AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	12Vdc	-	-	16		Wet
		277Vac	50/60	-	1.2		12Vdc	-	-	16		

<b>HLG-240H-12Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	12Vdc	-	-	-		Wet
<b>HLG-240H-15AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	15Vdc	-	-	15		Wet
		277Vac	50/60	-	1.2		15Vdc	-	-	15		
<b>HLG-240H-15Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	15Vdc	-	-	-		Wet
		277Vac	50/60	-	-		15Vdc	-	-	-		
<b>HLG-240H-20AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	20Vdc	-	-	12		Wet
		277Vac	50/60	-	1.2		20Vdc	-	-	12		
<b>HLG-240H-20Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	20Vdc	-	-	-		Wet
		277Vac	50/60	-	-		20Vdc	-	-	-		
<b>HLG-240H-24AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												

	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	24Vdc	-	-	10		Wet
		277Vac	50/60	-	1.2		24Vdc	-	-	10		
<b>HLG-240H-24Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	24Vdc	-	-	-		Wet
<b>HLG-240H-30AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	30Vdc	-	-	8		Wet
		277Vac	50/60	-	1.2		30Vdc	-	-	8		
<b>HLG-240H-30Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	30Vdc	-	-	-		Wet
		277Vac	50/60	-	-		30Vdc	-	-	-		
<b>HLG-240H-36AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	36Vdc	-	-	6.7		Wet
		277Vac	50/60	-	1.2		36Vdc	-	-	6.7		



<b>HLG-240H-36Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	36Vdc	-	-	-		Wet
		277Vac	50/60	-	-		36Vdc	-	-	-		
<b>HLG-240H-42AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	42Vdc	-	-	5.72		Wet
		277Vac	50/60	-	1.2		42Vdc	-	-	5.72		
<b>HLG-240H-42Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	42Vdc	-	-	-		Wet
		277Vac	50/60	-	-		42Vdc	-	-	-		
<b>HLG-240H-48AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	48Vdc	-	-	5		Wet
		277Vac	50/60	-	1.2		48Vdc	-	-	5		
<b>HLG-240H-48Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	48Vdc	-	-	-		Wet
		277Vac	50/60	-	-		48Vdc	-	-	-		

<b>HLG-240H-54AB HLG-240H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54 and z is Blank, A, B, AB or C</b>												
	Terminal block-factory wiring	100-240Vac	50/60	-	4	Non-isolated	54Vdc	-	-	4.45		Wet
		277Vac	50/60	-	1.2		54Vdc	-	-	4.45		
<b>HLG-240H-54Z+</b>	Terminal block-factory wiring	100-240Vac	50/60	-	-	Non-isolated	54Vdc	-	-	-		Wet
		277Vac	50/60	-	-		54Vdc	-	-	-		
<b>HLG-240H-C1050</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet
<b>HLG-240H-C1050A</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet
<b>HLG-240H-C1050AB</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet
<b>HLG-240H-C1050AD2</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet
<b>HLG-240H-C1050B</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet
<b>HLG-240H-C1050D</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet
<b>HLG-240H-C1050D2</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	238Vdc	-	-	1.05		Wet
<b>HLG-240H-C1400</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet

<b>HLG-240H-C1400A</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1400AB</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1400AD2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1400B</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1400D</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1400D2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1750</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1750A</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1750AB</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1750B</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1750D</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C1750D2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	179Vdc	-	-	-		Wet
<b>HLG-240H-C2100</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet

<b>HLG-240H-C2100A</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet
<b>HLG-240H-C2100AB</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet
<b>HLG-240H-C2100AD2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet
<b>HLG-240H-C2100B</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet
<b>HLG-240H-C2100D</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet
<b>HLG-240H-C2100D2</b>	Jacketed cable	277Vac	50/60	-	-	Non-isolated	119Vdc	-	-	-		Wet
<b>HLG-240H-C700</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet
<b>HLG-240H-C700A</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet
<b>HLG-240H-C700AB</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet
<b>HLG-240H-C700AD2</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet
<b>HLG-240H-C700B</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet
<b>HLG-240H-C700D</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet
<b>HLG-240H-C700D2</b>	Jacketed cable	277Vac	50/60	-	1.0	Non-isolated	357Vdc	-	-	0.7		Wet

<b>HLG-320H-12AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	12Vdc	-	264	22	CC, Isolated	Wet
		277Vac	50/60	-	1.45		12Vdc	-	264	22		
<b>HLG-320H-12Z where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	12Vdc	-	264	22	CC, Isolated	Wet
		277Vac	-	-	1.45		12Vdc	-	264	22		
<b>HLG-320H-15AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	15Vdc	-	-	19	CC, Isolated	Wet
		277Vac	50/60	-	1.45		15Vdc	-	-	19		
<b>HLG-320H-15Z where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	15Vdc	-	285	19	CC, Isolated	Wet
		277Vac	50/60	-	1.45		15Vdc	-	285	19		
<b>HLG-320H-20AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	20Vdc	-	-	15	CC, Isolated	Wet
		277Vac	50/60	-	1.45		20Vdc	-	-	15		
<b>HLG-320H-20Z where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	20Vdc	-	300	15	CC, Isolated	Wet

		277Vac	50/60	-	1.45		20Vdc	-	300	15		
<b>HLG-320H-24AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	24Vdc	-	-	13.34	CC, Isolated	Wet
		277Vac	50/60	-	1.45		24Vdc	-	-	13.34		
<b>HLG-320H-24Z where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	24Vdc	-	320	13.34	CC, Isolated	Wet
		277Vac	50/60	-	1.45		24Vdc	-	320	13.34		
<b>HLG-320H-30AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	30Vdc	-	-	10.7	CC, Isolated	Wet
		277Vac	50/60	-	1.45		30Vdc	-	-	10.7		
<b>HLG-320H-30Z where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	30Vdc	-	320	10.7	CC, Isolated	Wet
		277Vac	50/60	-	1.45		30Vdc	-	320	10.7		
<b>HLG-320H-36AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	36Vdc	-	-	8.9	CC, Isolated	Wet
		277Vac	50/60	-	1.45		36Vdc	-	-	8.9		
<b>HLG-320H-36Z where Z = A, B, C, D or blank</b>												

	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	36Vdc	-	320	8.9	CC, Isolated	Wet
		277Vac	50/60	-	1.45		36Vdc	-	320	8.9		
<b>HLG-320H-42AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	42Vdc	-	-	7.65	CC, Isolated	Wet
		277Vac	50/60	-	1.45		42Vdc	-	-	7.65		
<b>HLG-320H-42Z where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	42Vdc	-	320	7.65	CC, Isolated	Wet
		277Vac	50/60	-	1.45		42Vdc	-	320	7.65		
<b>HLG-320H-48AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	48Vdc	-	-	6.7	CC, Isolated	Wet
		277Vac	50/60	-	1.45		48Vdc	-	-	6.7		
<b>HLG-320H-48BTE where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	48Vdc	-	320	6.7	CC, Isolated	Wet
		277Vac	50/60	-	1.45		48Vdc	-	320	6.7		
<b>HLG-320H-48Z where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	48Vdc	-	320	6.7	CC, Isolated	Wet
		277Vac	50/60	-	1.45		48Vdc	-	320	6.7		

<b>HLG-320H-54AB HLG-320H-yz, where y is 12, 15, 20, 24, 30, 36, 42, 48, 54, z is A, B, C, AB, or D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	54Vdc	-	-	5.95	CC, Isolated	Wet
		277Vac	50/60	-	1.45		54Vdc	-	-	5.95		
<b>HLG-320H-54Z where Z = A, B, C, D or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	3.5	Non-isolated	54Vdc	-	320	5.95	CC, Isolated	Wet
		277Vac	50/60	-	1.45		54Vdc	-	320	5.95		
<b>HLG-320H-C1050y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>												
	-	-	-	-	-	-	-	-	-	-		-
<b>HLG-320H-C1400y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>												
	-	-	-	-	-	-	-	-	-	-		-
<b>HLG-320H-C1750y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>												
	-	-	-	-	-	-	-	-	-	-		-
<b>HLG-320H-C2100y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>												
	-	-	-	-	-	-	-	-	-	-		-
<b>HLG-320H-C2800y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>												
	-	-	-	-	-	-	-	-	-	-		-
<b>HLG-320H-C3500y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>												
	Jacketed cable	100-240V	50/60	-	3.5	Non-isolated	46-91V	-	-	3.5		Wet
<b>HLG-320H-C700y y may be blank, A, B, D, AB, D2, DA, ADA or AD2</b>												



	Jacketed cable	100-240V	50/60	-	3.5	Non-isolated	214-428V	-	-	0.7		Wet
<b>HLG-40H-12Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	12Vdc	-	40	3.33	CC, Class 2	Wet
		277Vac	50/60	-	0.23		12Vdc	-	40	3.33		
<b>HLG-40H-15Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	15Vdc	-	40	2.67	CC, Class 2	Wet
		277Vac	50/60	-	0.23		15Vdc	-	40	2.67		
<b>HLG-40H-20Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	20Vdc	-	40	2	CC, Class 2	Wet
		277Vac	50/60	-	0.23		20Vdc	-	40	2		
<b>HLG-40H-24Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	24Vdc	-	40	1.67	CC, Class 2	Wet
		277Vac	50/60	-	0.23		24Vdc	-	40	1.67		
<b>HLG-40H-30Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	30Vdc	-	40	1.34	CC, Class 2	Wet
		277Vac	50/60	-	0.23		30Vdc	-	40	1.34		
<b>HLG-40H-36Z Z can be A, B, D, AB or blank</b>												

	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	36Vdc	-	40	1.12	CC, Class 2	Wet
		277Vac	50/60	-	0.23		23Vdc	-	40	1.12		
<b>HLG-40H-42Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	42Vdc	-	40	0.96	CC, Class 2	Wet
		277Vac	50/60	-	0.23		42Vdc	-	40	0.96		
<b>HLG-40H-48Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	48Vdc	-	40	0.84	CC, Class 2	Wet
		277Vac	50/60	-	0.23		48Vdc	-	40	0.84		
<b>HLG-40H-54Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	54Vdc	-	40	0.75	CC, Class 2	Wet
		277Vac	50/60	-	0.23		54Vdc	-	40	0.75		
<b>HLG-480H-C1400z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	171-343 Max. 426Vdc	-	-	1.4	CC, Isolated	Wet
		277Vac	50/60	-	2.0		171-343 Max. 426Vdc	-	-	1.4		
<b>HLG-480H-C1750z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	137-274 Max. 340Vdc	-	-	1.75	CC, Isolated	Wet

		277Vac	50/60	-	2.0		137-274 Max. 340Vdc	-	-	1.75		
<b>HLG-480H-C2100z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	114-229 Max. 280Vdc	-	-	2.1	CC, Isolated	Wet
		277Vac	50/60	-	2.0		114-229 Max. 280Vdc	-	-	2.1		
<b>HLG-480H-C2800z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	85-171 Max. 210Vdc	-	-	2.8	CC, Isolated	Wet
		277Vac	50/60	-	2.0		85-171 Max. 210Vdc	-	-	2.8		
<b>HLG-480H-C3500z where - z may be blank, A, B, AB, BLP, D2 or Dx.</b>												
	Leads	100-240Vac	50/60	-	5.5	Non-isolated	68-137 Max. 180Vdc	-	-	3.5	CC, Isolated	Wet
		277Vac	50/60	-	2.0		68-137 Max. 180Vdc	-	-	3.5		
<b>HLG-600H-12Y where Y can be blank, A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	12Vdc	-	480	40	CC, Isolated	Wet
		277Vac	50/60	-	2.9		12Vdc	-	480	40		
<b>HLG-600H-15Y where Y can be blank, A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	15Vdc	-	540	36	CC, Isolated	Wet

		277Vac	50/60	-	2.9		15Vdc	-	540	36		
<b>HLG-600H-20Y where Y can be blank, A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	20Vdc	-	560	28	CC, Isolated	Wet
		277Vac	50/60	-	2.9		20Vdc	-	560	28		
<b>HLG-600H-24Y where Y can be blank, A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	24Vdc	-	600	25	CC, Isolated	Wet
		277Vac	50/60	-	2.9		24Vdc	-	600	25		
<b>HLG-600H-30Y where Y can be blank, A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	30Vdc	-	600	20	CC, Isolated	Wet
		277Vac	50/60	-	2.9		30Vdc	-	600	20		
<b>HLG-600H-36Y where Y can be blank, A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	36Vdc	-	600	16.7	CC, Isolated	Wet
		277Vac	50/60	-	2.9		36Vdc	-	600	16.7		
<b>HLG-600H-42Y where Y can be blank, A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	42Vdc	-	600	14.3	CC, Class 2	Wet
		277Vac	50/60	-	2.9		42Vdc	-	600	14.3		
<b>HLG-600H-48Y where Y can be blank, A, B or AB</b>												

	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	48Vdc	-	600	12.5	CC, Isolated	Wet
		277Vac	50/60	-	2.9		48Vdc	-	600	12.5		
<b>HLG-600H-54Y where Y can be blank, A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	7.0	Non-isolated	54Vdc	-	600	11.2	CC, Isolated	Wet
		277Vac	50/60	-	2.9		54Vdc	-	600	11.2		
<b>HLG-60H-12Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet
		277Vac	50/60	-	0.3		12Vdc	-	60	5		
<b>HLG-60H-15Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	15Vdc	-	60	4	CC, Class 2	Wet
		277Vac	50/60	-	0.3		15Vdc	-	60	4		
<b>HLG-60H-20Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	20Vdc	-	60	3	CC, Class 2	Wet
		277Vac	50/60	-	0.3		20Vdc	-	60	3		
<b>HLG-60H-24Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	24Vdc	-	60	2.5	CC, Class 2	Wet
		277Vac	50/60	-	0.3		24Vdc	-	60	2.5		

<b>HLG-60H-30Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	30Vdc	-	60	2	CC, Class 2	Wet
		277Vac	50/60	-	0.3		30Vdc	-	60	2		
<b>HLG-60H-36Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	36Vdc	-	61	1.7	CC, Class 2	Wet
		277Vac	50/60	-	0.3		36Vdc	-	61	1.7		
<b>HLG-60H-42Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	42Vdc	-	60	1.45	CC, Class 2	Wet
		277Vac	50/60	-	0.3		42Vdc	-	60	1.45		
<b>HLG-60H-48Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	48Vdc	-	62	1.3	CC, Class 2	Wet
		277Vac	50/60	-	0.3		48Vdc	-	62	1.3		
<b>HLG-60H-54Z Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	54Vdc	-	62	1.15	CC, Class 2	Wet
		277Vac	50/60	-	0.3		54Vdc	-	62	1.15		
<b>HLG-80H-12Z where Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	12Vdc	-	60	5	CC, LED Class 2	Wet

		277Vac	50/60	-	0.4		12Vdc	-	60	5		
<b>HLG-80H-15Z where Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	15Vdc	-	75	5	CC, LED Class 2	Wet
		277Vac	50/60	-	0.4		15Vdc	-	75	5		
<b>HLG-80H-20Z where Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	20Vdc	-	80	4	CC, LED Class 2	Wet
		277Vac	50/60	-	0.4		20Vdc	-	80	4		
<b>HLG-80H-24Z where Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	24Vdc	-	80	3.4	CC, LED Class 2	Wet
		277Vac	50/60	-	0.4		24Vdc	-	80	3.4		
<b>HLG-80H-30Z where Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	30Vdc	-	80	2.7	CC, LED Class 2	Wet
		277Vac	50/60	-	0.4		30Vdc	-	80	2.7		
<b>HLG-80H-36Z where Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	36Vdc	-	80	2.3	CC, LED Class 2	Wet
		277Vac	50/60	-	0.4		36Vdc	-	80	2.3		
<b>HLG-80H-42Z where Z can be A, B, D, AB or blank</b>												

	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	42Vdc	-	80	1.95	CC, LED Class 2	Wet
		277Vac	50/60	-	0.4		42Vdc	-	80	1.95		
<b>HLG-80H-48Z where Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	48Vdc	-	80	1.7	CC, LED Class 2	Wet
		277Vac	50/60	-	0.4		48Vdc	-	80	1.7		
<b>HLG-80H-54Z where Z can be A, B, D, AB or blank</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	54Vdc	-	80	1.5	CC, LED Class 2	Wet
		277Vac	50/60	-	0.4		54Vdc	-	80	1.5		
<b>HLN-40H-12Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	12Vdc	-	40	3.33	CC, Class 2	Wet
		277Vac	50/60	-	0.23		12Vdc	-	40	3.33		
<b>HLN-40H-15Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	15Vdc	-	40	2.67	CC, Class 2	Wet
		277Vac	50/60	-	0.23		15Vdc	-	40	2.67		
<b>HLN-40H-20Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	20Vdc	-	40	2	CC, Class 2	Wet
		277Vac	50/60	-	0.23		20Vdc	-	40	2		



<b>HLN-40H-24Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	24Vdc	-	40	1.67	CC, Class 2	Wet
		277Vac	50/60	-	0.23		24Vdc	-	40	1.67		
<b>HLN-40H-30Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	30Vdc	-	40	1.34	CC, Class 2	Wet
		277Vac	50/60	-	0.23		30Vdc	-	40	1.34		
<b>HLN-40H-36Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	36Vdc	-	40	1.12	CC, Class 2	Wet
		277Vac	50/60	-	0.23		36Vdc	-	40	1.12		
<b>HLN-40H-42Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	42Vdc	-	40	0.96	CC, Class 2	Wet
		277Vac	50/60	-	0.23		42Vdc	-	40	0.96		
<b>HLN-40H-48Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	48Vdc	-	40	0.84	CC, Class 2	Wet
		277Vac	50/60	-	0.23		48Vdc	-	40	0.84		
<b>HLN-40H-54Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	54Vdc	-	40	0.75	CC, Class 2	Wet

		277Vac	50/60	-	0.23		54Vdc	-	40	0.75		
<b>HLN-60H-12Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet
		277Vac	50/60	-	0.3		12Vdc	-	60	5		
<b>HLN-60H-15Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	15Vdc	-	60	4	CC, Class 2	Wet
		277Vac	50/60	-	0.3		15Vdc	-	60	4		
<b>HLN-60H-20Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	20Vdc	-	60	3	CC, Class 2	Wet
<b>HLN-60H-24Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	24Vdc	-	60	2.5	CC, Class 2	Wet
		277Vac	50/60	-	0.3		24Vdc	-	60	2.5		
<b>HLN-60H-30Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	30Vdc	-	60	2	CC, Class 2	Wet
		277Vac	50/60	-	0.3		30Vdc	-	60	2		
<b>HLN-60H-36Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	36Vdc	-	60	1.7	CC, Class 2	Wet

		277Vac	50/60	-	0.3		36Vdc	-	60	1.7		
<b>HLN-60H-42Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	42Vdc	-	60	1.45	CC, Class 2	Wet
		277Vac	50/60	-	0.3		42Vdc	-	60	1.45		
<b>HLN-60H-48Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	48Vdc	-	60	1.3	CC, Class 2	Wet
		277Vac	50/60	-	0.3		48Vdc	-	60	1.3		
<b>HLN-60H-54Z Z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	54Vdc	-	62	1.15	CC, Class 2	Wet
		277Vac	50/60	-	0.3		54Vdc	-	62	1.15		
<b>HLN-80H-YZ Where Y can be 12, 15, 20, 24, 30, 36, 42, 45, 54 and z can be A, B or AB</b>												
	Jacketed cable	100-240Vac	50/60	-	0.85	Isolated Circuit	12Vdc	-	60	5	CC, LED Class 2	Damp
		277Vac	50/60	-	0.4		12Vdc	-	60	5		
<b>HLP-40H-12</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	12Vdc	-	40	3.33	CC, Class 2	Wet
		277Vac	50/60	-	0.23		12Vdc	-	40	3.33		
<b>HLP-40H-15</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	15Vdc	-	40	2.67	CC, Class 2	Wet
		277Vac	50/60	-	0.23		15Vdc	-	40	2.67		

<b>HLP-40H-20</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	20Vdc	-	40	2	CC, Class 2	Wet
		277Vac	50/60	-	0.23		20Vdc	-	40	2		
<b>HLP-40H-24</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	24Vdc	-	40	1.67	CC, Class 2	Wet
		277Vac	50/60	-	0.23		24Vdc	-	40	1.67		
<b>HLP-40H-30</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	30Vdc	-	40	1.34	CC, Class 2	Wet
		277Vac	50/60	-	0.23		30Vdc	-	40	1.34		
<b>HLP-40H-36</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	36Vdc	-	40	1.12	CC, Class 2	Wet
		277Vac	50/60	-	0.23		36Vdc	-	40	1.12		
<b>HLP-40H-42</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	42Vdc	-	40	0.96	CC, Class 2	Wet
		277Vac	50/60	-	0.23		42Vdc	-	40	0.96		
<b>HLP-40H-48</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	48Vdc	-	34	0.84	CC, Class 2	Wet
		277Vac	50/60	-	0.23		48Vdc	-	34	0.84		
<b>HLP-40H-54</b>	Jacketed cable	100-240Vac	50/60	-	0.43	Non-isolated	54Vdc	-	40	0.75	CC, Class 2	Wet
		277Vac	50/60	-	0.23		54Vdc	-	40	0.75		
<b>HLP-60H-12</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet
		277Vac	50/60	-	0.3		12Vdc	-	60	5		

<b>HLP-60H-15</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	15Vdc	-	60	4	CC, Class 2	Wet
		277Vac	50/60	-	0.3		15Vdc	-	60	4		
<b>HLP-60H-20</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	20Vdc	-	60	3	CC, Class 2	Wet
		277Vac	50/60	-	0.3		20Vdc	-	60	3		
<b>HLP-60H-24</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	24Vdc	-	60	2.5	CC, Class 2	Wet
		277Vac	50/60	-	0.3		24Vdc	-	60	2.5		
<b>HLP-60H-30</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	30Vdc	-	60	2	CC, Class 2	Wet
		277Vac	50/60	-	0.3		30Vdc	-	60	2		
<b>HLP-60H-36</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	36Vdc	-	61	1.7	CC, Class 2	Wet
		277Vac	50/60	-	0.3		36Vdc	-	61	1.7		
<b>HLP-60H-42</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	42Vdc	-	60	1.45	CC, Class 2	Wet
		277Vac	50/60	-	0.3		42Vdc	-	60	1.45		
<b>HLP-60H-48</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	48Vdc	-	62	1.3	CC, Class 2	Wet
		277Vac	50/60	-	0.3		48Vdc	-	62	1.3		
<b>HLP-60H-54</b>	Jacketed cable	100-240Vac	50/60	-	0.64	Non-isolated	54Vdc	-	62	1.15	CC, Class 2	Wet
		277Vac	50/60	-	0.3		54Vdc	-	62	1.15		

<b>HLP-80H-12</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	12Vdc	-	60	5	CC, Class 2	Wet
		277Vac	50/60	-	0.4		12Vdc	-	60	5		
<b>HLP-80H-15</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet
		277Vac	50/60	-	0.4		15Vdc	-	75	5		
<b>HLP-80H-20</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	20Vdc	-	80	4	CC, Class 2	Wet
		277Vac	50/60	-	0.4		20Vdc	-	80	4		
<b>HLP-80H-24</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	24Vdc	-	82	3.4	CC, Class 2	Wet
		277Vac	50/60	-	0.4		24Vdc	-	82	3.4		
<b>HLP-80H-30</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	30Vdc	-	81	2.7	CC, Class 2	Wet
		277Vac	50/60	-	0.4		30Vdc	-	81	2.7		
<b>HLP-80H-36</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	36Vdc	-	83	2.3	CC, Class 2	Wet
		277Vac	50/60	-	0.4		36Vdc	-	83	2.3		
<b>HLP-80H-42</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	42Vdc	-	82	1.95	CC, Class 2	Wet
		277Vac	50/60	-	0.4		42Vdc	-	82	1.95		
<b>HLP-80H-48</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	48Vdc	-	82	1.7	CC, Class 2	Wet
		277Vac	50/60	-	0.4		48Vdc	-	82	1.7		

<b>HLP-80H-54</b>	Jacketed cable	100-240Vac	50/60	-	0.85	Non-isolated	54Vdc	-	81	1.5	CC, Class 2	Wet
		277Vac	50/60	-	0.4		54Vdc	-	81	1.5		
<b>HVG-100-15A-CZZZZ CZZZ=0 to 5000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.43	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet
<b>HVG-100-15AB-CZZZZ CZZZ=0 to 5000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.43	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet
<b>HVG-100-15B-CZZZZ CZZZ=0 to 5000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.43	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet
<b>HVG-100-15D-CZZZZ CZZZ=0 to 5000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.43	Non-isolated	15Vdc	-	75	5	CC, Class 2	Wet
<b>HVG-100-20A-CZZZZ CZZZ=0 to 4800, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	20Vdc	-	100	4.8	CC, Class 2	Wet
<b>HVG-100-20AB-CZZZZ CZZZ=0 to 4800, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	20Vdc	-	100	4.8	CC, Class 2	Wet
<b>HVG-100-20B-CZZZZ CZZZ=0 to 4800, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	20Vdc	-	100	4.8	CC, Class 2	Wet

<b>HVG-100-20D-CZZZZ CZZZ=0 to 4800, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	20Vdc	-	100	4.8	CC, Class 2	Wet
<b>HVG-100-24A-CZZZZ CZZZ=0 to 4000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	24Vdc	-	96	4.0	CC, Class 2	Wet
<b>HVG-100-24AB-CZZZZ CZZZ=0 to 4000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	24Vdc	-	96	4.0	CC, Class 2	Wet
<b>HVG-100-24B-CZZZZ CZZZ=0 to 4000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	24Vdc	-	96	4.0	CC, Class 2	Wet
<b>HVG-100-24D-CZZZZ CZZZ=0 to 4000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	24Vdc	-	96	4.0	CC, Class 2	Wet
<b>HVG-100-30A-CZZZZ CZZZ=0 to 3200, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	30Vdc	-	96	3.2	CC, Class 2	Wet
<b>HVG-100-30AB-CZZZZ CZZZ=0 to 3200, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	30Vdc	-	96	3.2	CC, Class 2	Wet
<b>HVG-100-30B-CZZZZ CZZZ=0 to 3200, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	30Vdc	-	96	3.2	CC, Class 2	Wet



<b>HVG-100-30D-CZZZZ CZZZ=0 to 3200, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	30Vdc	-	96	3.2	CC, Class 2	Wet
<b>HVG-100-36A-CZZZZ CZZZ=0 to 2650, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	36Vdc	-	96	2.65	CC, Class 2	Wet
<b>HVG-100-36AB-CZZZZ CZZZ=0 to 2650, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	36Vdc	-	96	2.65	CC, Class 2	Wet
<b>HVG-100-36B-CZZZZ CZZZ=0 to 2650, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	36Vdc	-	96	2.65	CC, Class 2	Wet
<b>HVG-100-36D-CZZZZ CZZZ=0 to 2650, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	36Vdc	-	96	2.65	CC, Class 2	Wet
<b>HVG-100-42A-CZZZZ CZZZ=0 to 2280, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	42Vdc	-	96	2.28	CC, Class 2	Wet
<b>HVG-100-42AB-CZZZZ CZZZ=0 to 2280, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	42Vdc	-	96	2.28	CC, Class 2	Wet
<b>HVG-100-42B-CZZZZ CZZZ=0 to 2280, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	42Vdc	-	96	2.28	CC, Class 2	Wet

<b>HVG-100-42D-CZZZZ CZZZ=0 to 2280, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	42Vdc	-	96	2.28	CC, Class 2	Wet
<b>HVG-100-48A-CZZZZ CZZZ=0 to 2000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	48Vdc	-	96	2.0	CC, Class 2	Wet
<b>HVG-100-48AB-CZZZZ CZZZ=0 to 2000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	48Vdc	-	96	2.0	CC, Class 2	Wet
<b>HVG-100-48B-CZZZZ CZZZ=0 to 2000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	48Vdc	-	96	2.0	CC, Class 2	Wet
<b>HVG-100-48D-CZZZZ CZZZ=0 to 2000, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	48Vdc	-	96	2.0	CC, Class 2	Wet
<b>HVG-100-54A-CZZZZ CZZZ=0 to 1770, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	54Vdc	-	96	1.77	CC, Class 2	Wet
<b>HVG-100-54AB-CZZZZ CZZZ=0 to 1770, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	54Vdc	-	96	1.77	CC, Class 2	Wet
<b>HVG-100-54B-CZZZZ CZZZ=0 to 1770, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	54Vdc	-	96	1.77	CC, Class 2	Wet

<b>HVG-100-54D-CZZZZ CZZZ=0 to 1770, or blank</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	54Vdc	-	96	1.77	CC, Class 2	Wet
<b>HVG-150-12Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.73	Non-isolated	12Vdc	-	120	10	CC, Isolated	Wet
<b>HVG-150-15Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	15Vdc	-	150	10	CC, Isolated	Wet
<b>HVG-150-20Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	20Vdc	-	150	7.5	CC, Isolated	Wet
<b>HVG-150-24Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	24Vdc	-	150	6.25	CC, LED Class 2	Wet
<b>HVG-150-30Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	30Vdc	-	150	5	CC, Isolated	Wet
<b>HVG-150-36Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	36Vdc	-	150	4.17	CC, Isolated	Wet
<b>HVG-150-42Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	42Vdc	-	150	3.58	CC, Isolated	Wet

<b>HVG-150-48Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	48Vdc	-	150	3.13	CC, Isolated	Wet
<b>HVG-150-54Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.88	Non-isolated	54Vdc	-	150	2.78	CC, Isolated	Wet
<b>HVG-240-24y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	24Vdc	-	240	10	CC, Isolated	Wet
<b>HVG-240-30y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	30Vdc	-	240	8	CC, Isolated	Wet
<b>HVG-240-36y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	36Vdc	-	241	6.7	CC, Isolated	Wet
<b>HVG-240-42y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	42Vdc	-	240	5.7	CC, Isolated	Wet
<b>HVG-240-48y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	48Vdc	-	240	5	CC, Isolated	Wet
<b>HVG-240-54y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.4	Non-isolated	54Vdc	-	243	4.5	CC, Isolated	Wet

<b>HVG-320-24y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	24Vdc	-	322	13.4	CC, Isolated	Wet
<b>HVG-320-30y y may be blank A, B, D, AB, or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	30Vdc	-	321	10.7	CC, Isolated	Wet
<b>HVG-320-36y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	36Vdc	-	320	8.9	CC, Isolated	Wet
<b>HVG-320-42y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	42Vdc	-	320	7.6	CC, Isolated	Wet
<b>HVG-320-48y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	48Vdc	-	322	6.7	CC, Isolated	Wet
<b>HVG-320-54y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.85	Non-isolated	54Vdc	-	324	6.0	CC, Isolated	Wet
<b>HVG-480-24Y (Y= blank, A, B, AB, Dx or D2)</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	24Vdc	-	-	20	CV, Isolated	Wet
<b>HVG-480-30Y (Y= blank, A, B, AB, Dx or D2)</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	30Vdc	-	-	16	CV, Isolated	Wet

<b>HVG-480-36Y (Y= blank, A, B, AB, Dx or D2)</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	36Vdc	-	-	13.3	CV, Isolated	Wet
<b>HVG-480-42Y (Y= blank, A, B, AB, Dx or D2)</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	42Vdc	-	-	11.4	CV, Isolated	Wet
<b>HVG-480-48Y (Y= blank, A, B, AB, Dx or D2)</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	48Vdc	-	-	10	CV, Isolated	Wet
<b>HVG-480-54Y (Y= blank, A, B, AB, Dx or D2)</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	54Vdc	-	-	8.9	CV, Isolated	Wet
<b>HVG-65-YX-CZZZZ where X may be A, B, D or AB, Y may be 12, 15, 20, 24, 30, 36, 42, 48 and 54, and CZZZZ is optional, when provided, the ZZZZ may be substituted with a four-digit number that is between 0000 and the maximum number as follows. When Y is 12, 15, 20, 24, 30, 36, 42, 48 or 54, the corresponding maximum value for "ZZZZ" is 5000, 4300, 3250, 2710, 2170, 1810, 1550, 1360 or 1210</b>												
	Cord- and-plug	200-480Vac	50/60	-	0.39	Non-isolated	12-54Vdc	-	65	5-1.21	CC, Class 2	Wet
<b>HVGC-100-XY where X may be 350 or 700 and Y can be A, B or D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.55	Non-isolated	142-285Vdc	-	100	0.7-0.35	CC, Isolated	Wet
<b>HVGC-150-1050Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	143Vdc	-	150	1.05	CC, Isolated	Wet
<b>HVGC-150-1400Y Y may be A, B, D or AB</b>												

	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	107Vdc	-	150	1.4	CC, Isolated	Wet
<b>HVGC-150-350Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	428Vdc	-	150	0.35	CC, Isolated	Wet
<b>HVGC-150-500Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	300Vdc	-	150	0.5	CC, Isolated	Wet
<b>HVGC-150-700Y Y may be A, B, D or AB</b>												
	Jacketed cable	200-480Vac	50/60	-	0.97	Non-isolated	215Vdc	-	150	.7	CC, Isolated	Wet
<b>HVGC-240-1050y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	228.6Vdc	-	240	1.05	CC, Isolated	Wet
<b>HVGC-240-1400y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	150	1.5	Non-isolated	171.4Vdc	-	240	1.4	CC, Isolated	Wet
<b>HVGC-240-1750y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	137.1Vdc	-	240	1.75	CC, Isolated	Wet
<b>HVGC-240-2100y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	114.3Vdc	-	240	2.1	CC, Isolated	Wet
<b>HVGC-240-2800y y may be blank, A, B, D, AB or D2</b>												

	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	85.7Vdc	-	240	2.8	CC, Isolated	Wet
<b>HVGC-240-3500y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	68.6Vdc	-	240	3.5	CC, Isolated	Wet
<b>HVGC-240-700y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.5	Non-isolated	342.8Vdc	-	240	0.7	CC, Isolated	Wet
<b>HVGC-320-1050y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	304.8	1.05	CC, Isolated	Wet
<b>HVGC-320-1400y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	228.6	1.4	CC, Isolated	Wet
<b>HVGC-320-1750y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	182.8	1.75	CC, Isolated	Wet
<b>HVGC-320-2100y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	152.4	2.1	CC, Isolated	Wet
<b>HVGC-320-2800y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	114.3	2.8	CC, Isolated	Wet
<b>HVGC-320-3500y y may be blank, A, B, D, AB or D2</b>												



	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	320Vdc	-	91.4	3.5	CC, Isolated	Wet
<b>HVGC-320-700y y may be blank, A, B, D, AB or D2</b>												
	Jacketed cable	200-480Vac	50/60	-	1.8	Non-isolated	611Vdc	-	428	0.7	CC, Isolated	Wet
<b>HVGC-480-H-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	68-171.5VVdc	-	-	Max.3500	Isolated	Wet
<b>HVGC-480-L-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	137-343VVdc	-	-	Max.1750	Isolated	Wet
<b>HVGC-480-M-Y Y= blank, AB, Dx, D2, DA, ADA or AD2, not safety related.</b>												
	Leads	200-480Vac	50/60	-	2.8	Non-isolated	92-228.5VVdc	-	-	Max.2625	Isolated	Wet
<b>HVGC-65-XY where X may be 350, 500, 700, 1050; Y can be A, B, AB or D</b>												
	Jacketed cable	200-480Vac	50/60	-	0.39	Non-isolated	62-186Vdc	-	65	1.05-0.35	CC, Isolated	Wet
<b>HVGC-650-H-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>												
	-	200-480Vac	50/60	-	3.8	Non-isolated	46.4-116Vdc	-	649.6	7.0	Isolated	Wet
		-	-	-	-		-	-	-			
		-	50/60	-	3.8		Max. 120V	-	-	-		
<b>HVGC-650-L-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>												
	-	200-480Vac	50/60	-	3.8	Non-isolated	92.8-232Vdc	-	650	3.5	Isolated	Wet
		-	-	-	-		-	-	-			

		-	50/60	-	3.8		Max 240V	-	-	-		
<b>HVGC-650-M-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>												
	-	200-480Vac	50/60	-	3.8	Non-isolated	62-155Vdc	-	651	5.25	Isolated	Wet
		-	-	-	-		-	-	-	-		
		-	50/60	-	3.8		Max 160V	-	-	-		
<b>HVGC-650-U-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>												
	-	200-480Vac	50/60	-	3.8	Non-isolated	24-58Vdc	-	649.6	14.0	Isolated	Wet
		-	50/60	-	-		Max. 70Vdc	-	-	-		
<b>HVGC-650A-H-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>												
	-	200-480Vac	50/60	-	3.8	Non-isolated	46.4-116Vdc	-	649.6	7.0	Isolated	Wet
		-	50/60	-	3.8		Max. 120Vdc	-	-	-		
		-	50/60	-	3.8		12(AUX)V	-	2.4	0.2		
<b>HVGC-650A-L-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>												
	-	200-480Vac	50/60	-	3.8	Non-isolated	92.8-232Vdc	-	650	3.5	Isolated	Wet
		-	50/60	-	3.8		Max. 240Vdc	-	-	-		
		-	50/60	-	3.8		12(AUX)V	-	2.4	0.2		
<b>HVGC-650A-M-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>												
	-	200-480Vac	50/60	-	3.8	Non-isolated	62-155Vdc	-	651	5.25	Isolated	Wet
		-	50/60	-	3.8		Max. 160Vdc	-	-	-		
		-	50/60	-	3.8		12(AUX)V	-	2.4	0.2		

<b>HVGC-650A-U-Y Y indicates blank, B, AB, PL, DA, Dx or D2</b>												
	-	200-480Vac	50/60	-	3.8	Non-isolated	24-58Vdc	-	649.6	14.0	Isolated	Wet
		-	50/60	-	3.8		Max. 70Vdc	-	-	-		
		-	50/60	-	3.8		12(AUX)V	-	2.4	0.2		
<b>IDLV-25(A)-60 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												
	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	60Vdc	-	-	420mA		Damp
		277Vac	50/60	-	0.13		60Vdc	-	-	420mA		
<b>IDLV-25x-12 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	12Vdc	-	-	1.8 A	Isolated	Damp
		277Vac	50/60	-	0.13		12Vdc	-	-	1.8A		
<b>IDLV-25x-24 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	24Vdc	-	-	1.05 A	Isolated	Damp
		277Vac	50/60	-	0.13		24Vdc	-	-	1.05A		
<b>IDLV-25x-36 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	36Vdc	-	-	0.7 A	Isolated	Damp
		277Vac	50/60	-	0.13		36Vdc	-	-	0.7 A		
<b>IDLV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	48Vdc	-	-	0.52 A	Isolated	Damp
		277Vac	50/60	-	0.13		48Vdc	-	-	0.52 A		
<b>IDLV-45x-12 where x can be A or blank</b>												

	Leads	100-240Vac	50/60	-	0.6	Non-isolated	12V	-	-	3.0	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		277Vac	50/60	-	0.3		12V	-	-	3.0		
<b>IDLV-45x-24 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	24V	-	-	1.5	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		200-277Vac	50/60	-	0.3		24V	-	-	1.88		
<b>IDLV-45x-36 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	36V	-	-	1.0	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		200-277Vac	50/60	-	0.3		36V	-	-	1.25		
<b>IDLV-45x-48 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	48V	-	-	0.75	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		200-277Vac	50/60	-	0.3		48V	-	-	0.94		
<b>IDLV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	-	-	-	-	-	Isolated Circuit	-	-	-	-		-
<b>IDPV-25(A)-60 x may be blank or A; y may be 350, 500, 700 or 1050 for marketing purposes only.</b>												

	Leads	100-240Vac	50/60	-	0.4	Isolated Circuit	60Vdc	-	-	420mA		Damp
		277Vac	50/60	-	0.13		60Vdc	-	-	420mA		
<b>IDPV-25x-12 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	12Vdc	-	-	1.8 A	Isolated	Damp
		277Vac	50/60	-	0.13		12Vdc	-	-	1.8A		
<b>IDPV-25x-24 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	24Vdc	-	-	1.05 A	Isolated	Damp
		277Vac	50/60	-	0.13		24Vdc	-	-	1.05A		
<b>IDPV-25x-36 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	36Vdc	-	-	0.7 A	Isolated	Damp
		277Vac	50/60	-	0.13		36Vdc	-	-	0.7 A		
<b>IDPV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	48Vdc	-	-	0.52 A	Isolated	Damp
<b>IDPV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	100-240Vac	50/60	-	0.4	Non-isolated	48Vdc	-	-	0.52 A	Isolated	Damp
		277Vac	50/60	-	0.13		48Vdc	-	-	0.52 A		
<b>IDPV-25x-48 where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	Leads	277Vac	50/60	-	0.13	Non-isolated	48Vdc	-	-	0.52 A	Isolated	Damp
<b>IDPV-45x-12 where x can be A or blank</b>												

	Leads	100-240Vac	50/60	-	0.6	Non-isolated	12V	-	-	3.0	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		277Vac	50/60	-	0.3		12V	-	-	3.0		
<b>IDPV-45x-24 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	24V	-	-	1.5	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		200-277Vac	50/60	-	0.3		24V	-	-	1.88		
<b>IDPV-45x-36 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	36V	-	-	1.0	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		200-277Vac	50/60	-	0.3		36V	-	-	1.25		
<b>IDPV-45x-48 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	48V	-	-	0.75	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		200-277Vac	50/60	-	0.3		48V	-	-	0.94		
<b>IDPV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	-	-	-	-	-	Isolated Circuit	-	-	-	-		-
<b>LCM-25X where X may be blank or DA</b>												

	Terminal block-factory wiring	277Vac	50/60	-	-	Non-isolated	59Vdc	-	-	-		Wet
		200-240Vac	50/60	-	-		24-54Vdc	-	-	-		
<b>LCM-40Y where Y may be blank, DA, U or UDA</b>												
	Terminal block-factory wiring	200-240Vac	50/60	-	0.27	Non-isolated	40-100Vdc	-	42	1.05-0.35	CC, Isolated	Wet
		277Vac	50/60	-	0.20		40-100Vdc	-	42	1.05-0.35		
<b>LCM-60Y where Y may be blank, DA, U or UDA</b>												
	Terminal block-factory wiring	200-240Vac	50/60	-	0.37	Non-isolated	42-90Vdc	-	63	1.4-0.5	CC, Isolated	Wet
		277Vac	50/60	-	0.27		42-90V	-	63	1.4-0.5		
<b>LDC-35x where x may be blank, B or DA.</b>												
	-	200-240Vac	50/60	-	0.2	Non-isolated	27-56V Max 60Vdc	-	35	0.3-1.0A	Class 2	Damp
		277Vac	50/60	-	0.16		27-56V Max 60Vdc	-	35	0.3-1.0A		
<b>LDC-55x where x may be blank, B or DA.</b>												
	-	200-240Vac	50/60	-	0.35	Non-isolated	27-56V Max 60Vdc	-	55	0.5-1.6A	Class 2	Damp

		277Vac	50/60	-	0.25		27-56V Max 60Vdc	-	55	0.5-1.6A		
<b>LDC-80x where x may be blank, B or DA, no safety related.</b>												
	-	200-240Vac	50/60	-	0.48	Non-isolated	27-56 Max.60Vdc	-	80	0.7-2.1	LED Class 2	Damp
		277Vac	50/60	-	0.36		27-56 Max.60Vdc	-	80	0.7-2.1		
<b>LPF-60-24LU</b>	-	-	-	-	-	-	-	-	-	-		-
<b>LPF-XY-ZQ where X may be 40 or 60, Y may be blank or D; Q may be blank or LU; and Z may be 12, 15, 20, 24, 30, 36, and 42, 48 and 54.</b>												
	-	-	-	-	-	-	-	-	-	-		-
<b>LPFH-60-12</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-
<b>LPFH-60-15</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-
<b>LPFH-60-24</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-
<b>LPFH-60-36</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-
<b>LPFH-60-42</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-
<b>LPFH-60-48</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-
<b>LPFH-60-54</b>	Jacketed cable	-	-	-	-	-	-	-	-	-		-



<b>LPFH-60D-12</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-
<b>LPFH-60D-15</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-
<b>LPFH-60D-36</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-
<b>LPFH-60D-42</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-
<b>LPFH-60D-48</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-
<b>LPFH-60D-54</b>	Jacketed cable	-	-	-	-	-	-	-	-	-	-	-	-
<b>LPV-100-12</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	12Vdc	-	100	8.5	CC, Isolated	Damp	
<b>LPV-100-15</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	15Vdc	-	100	6.7	CC, Isolated	Damp	
<b>LPV-100-24</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	24Vdc	-	100	4.2	CC, Isolated	Damp	
<b>LPV-100-36</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	36Vdc	-	100	2.8	CC, Isolated	Damp	
<b>LPV-100-48</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	48Vdc	-	100	2.1	CC, Isolated	Damp	
<b>LPV-100-5</b>	Leads	100-240Vac	50/60	-	2.2	Isolated Circuit	5Vdc	-	60	12	CC, Isolated	Damp	
<b>LPVL-150-12</b>	Leads	100-120Vac	50/60	-	3.0	Non-isolated	12Vdc	-	-	-		Wet	
<b>LPVL-150-24</b>	Leads	100-120Vac	50/60	-	-	-	24Vdc	-	-	-		Wet	

<b>NPF-120X-12W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	12Vdc	-	120	10	CC, Isolated	Wet
		277Vac	50/60	-	0.55		12Vdc	-	120	10		
<b>NPF-120X-15W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	15Vdc	-	120	8	CC, Isolated	Wet
		277Vac	50/60	-	0.55		15Vdc	-	120	8		
<b>NPF-120X-20W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	20Vdc	-	120	6	CC, Isolated	Wet
		277Vac	50/60	-	0.55		20Vdc	-	120	6		
<b>NPF-120X-24W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	24Vdc	-	120	5	CC, Isolated	Wet
		277Vac	50/60	-	0.55		24Vdc	-	120	5		
<b>NPF-120X-30W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	30Vdc	-	120	4	CC, Isolated	Wet
		277Vac	50/60	-	0.55		30Vdc	-	120	4		
<b>NPF-120X-36W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	36Vdc	-	120	3.4	CC, Isolated	Wet

		277Vac	50/60	-	0.55		36Vdc	-	120	3.4		
<b>NPF-120X-42W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	42Vdc	-	120	2.9	CC, Isolated	Wet
		277Vac	50/60	-	0.55		42Vdc	-	120	2.9		
<b>NPF-120X-48W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	48Vdc	-	120	2.5	CC, Isolated	Wet
		277Vac	50/60	-	0.55		48Vdc	-	120	2.5		
<b>NPF-120X-54W X may be blank or D, and W may be blank or BE</b>												
	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	54Vdc	-	125	2.3	CC, Isolated	Wet
		277Vac	50/60	-	0.55		54Vdc	-	125	2.3		
<b>ODLV-45-48 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	48V	-	-	0.75	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		200-277Vac	50/60	-	0.3		48V	-	-	0.94		
<b>ODLV-45x-12 where x can be A or blank</b>												
	Leads	100-240Vac	50/60	-	0.6	Non-isolated	12V	-	-	3.0	LED Class 2	Damp
		-	-	-	-		-	-	-	-		
		277Vac	50/60	-	0.3		12V	-	-	3.0		

<b>ODLV-45x-24 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	24V	-	-	1.5	LED Class 2	Damp
		-	-	-	-		-	-	-			
		200-277Vac	50/60	-	0.3		24V	-	-	1.88		
<b>ODLV-45x-36 where x can be A or blank</b>												
	Leads	100-200Vac	50/60	-	0.6	Non-isolated	36V	-	-	1.0	LED Class 2	Damp
		-	-	-	-		-	-	-			
		200-277Vac	50/60	-	0.3		36V	-	-	1.25		
<b>ODLV-65x-y where x can be A or blank, where y can be 12, 24, 36 or 48.</b>												
	-	-	50/60	-	-	Isolated Circuit	-	-	-	-		-
<b>PWM-120-12</b>	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	12Vdc	-	120	10	CC, Isolated	Wet
		277Vac	50/60	-	0.55		12Vdc	-	120	10		
<b>PWM-120-24</b>	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	24Vdc	-	120	5	CC, Isolated	Wet
		277Vac	50/60	-	0.55		24Vdc	-	120	5		
<b>PWM-120-36</b>	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	36Vdc	-	122.4	3.4	CC, Isolated	Wet
		277Vac	50/60	-	0.55		36Vdc	-	122.4	3.4		

<b>PWM-120-48</b>	Jacketed cable	100-240Vac	50/60	-	1.5	Non-isolated	48Vdc	-	120	2.5	CC, Isolated	Wet
		277Vac	50/60	-	0.55		48Vdc	-	120	2.5		
<b>XLG-25-Y where Y may be A or AB.</b>												
	-	100-240Vac	50/60	-	0.31	Isolated Circuit	22-54Vdc	-	25	1A	Isolated	Wet
		277Vac	50/60	-	.12		.57Vdc	-	25	1A		
<b>XLG-50-Y where Y may be A or AB.</b>												
	-	100-240Vac	50/60	-	0.62	Isolated Circuit	22-54Vdc	-	50	2.1A	Isolated	Wet
		277Vac	50/60	-	0.21		.57Vdc	-	50	2.1A		

[a] Identifies if the product itself has isolation between input and output based on the requirements of the standard. Output type (Non-isolated, Isolated, Class 2, LED Class 2) is designated based on the requirements that have been applied.

Wired Control Circuit: a = This device does not have a wired control circuit, b = This device has a wired control circuit that is isolated per Supplement SF, c = This device has a wired control circuit that is nonisolated per Supplement SF, + = Not evaluated

Phase-cut Dimming: a = This device has not been evaluated per Supplement SH, b = This device has been evaluated per Supplement SH, c = This device has been evaluated per Supplement SH for use with specific dimmer models - see UL Report.

(%) - Where Z can be blank, A, B or AB.

(a) - Where X may be 24, 36, 48 or 54 and Y may be A, B, AB, E or blank.

\* - Where Z can be blank, A or B.

+ - Where Z can be blank, A, B or C.

Marking: Company name, model designation and the Recognized Component Mark for Canada,



Last Updated on 2018-12-26

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"